

Cucumber Report

Sep 21, 2022, 2:38:23 PM

Start : Sep 21, 2:37:30.393 PM

End : Sep 21, 2:38:22.453 PM

Duration : 52.060 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 3







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Personal Details Disbursement Maker Functionality</u> | 1 | 0 | 1 | 0 | 52.060 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|---|---|---|----------|
| 1 | <u>Personal Details Disbursement Maker Functionality</u> | <u>To check the functionality of Personal Details Disbursement Maker List View</u> | 11 | 7 | 1 | 3 | 52.057 s |





(F)- Personal Details Disbursement Maker Functionality



| | | | | | |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 52.060 s | Scenarios |  | Steps |  |
| / 2:37:30.393 PM // 2:38:22.453 PM / | | Total - 1 | 1 | Total - 11 | 11 |
| | | Pass - 0 | | Pass - 7 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 3 | |

(S)- To check the functionality of Personal Details Disbursement Maker List View


| | | | |
|---|----------------------------|--|---|
| FAILED | DURATION - 52.057 s |  |  |
| / 2:37:30.396 PM // 2:38:22.453 PM / | | | |
| Personal Details Disbursement Maker Functionality | | | |
| @PDDM01 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.556 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 6.751 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on inbox | PASSED | 0.182 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot  | | |
| 4 | Then click on inbox search icon | PASSED | 0.175 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.134 s |
| | screenshot  | | |
| 5 | Then search Personal Details Disbursement Maker record | PASSED | 1.112 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.080 s |
| | screenshot  | | |
| 6 | And maker user open the record from inbox | PASSED | 1.159 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.110 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 7 | Then click on Customer Details Segment button | PASSED | 2.180 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.242 s |
| | screenshot | | |
| |  | | |
| 8 | <p>Then verify Personal Details Disbursement Maker List View should display all the fields</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[@ng-reflect-text='Go Back']' (tried for 30 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.PersonalDetails_DisbursementMaker.</p> <p>verify_personal_details_disbursement_maker_list_view_should_display_all_the_fields(PersonalDetails_DisbursementMaker.java:384)</p> <p>at ?.verify Personal Details Disbursement Maker List View should display all the fields(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementMaker.feature:46)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{"method":"xpath","selector":"//button[@ng-reflect-text='Go Back']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO16372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d558fe4083e25fd401ddc290c8918528, findElement {using=xpath, value=//button[@ng-reflect-text='Go Back']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:/Users/ININDC~1/AppData/L...}, goog:chromeOptions: {debuggerAddress: localhost:64323}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64323/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d558fe4083e25fd401ddc290c8918528</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> | FAILED | 30.725 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.PersonalDetails_DisbursementMaker.verify_personal_details_disbursement_maker_list_view_should_display_all_the_fields(PersonalDetails_DisbursementMaker.java:384) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.119 s |
| 9 | Then values in Personal Details Disbursement Maker list view should not be editable | SKIPPED | 0.000 s |
| 10 | Then Personal Details Disbursement Maker export Pdf file | SKIPPED | 0.000 s |
| 11 | Then Personal Details Disbursement Maker export Excel file | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View


(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a dark blue sidebar with a search bar and a menu containing: Dashboard, Configurations (expanded), Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' with a search icon. Below this, it states 'Showing 0 to 0 of 0 entries' with navigation arrows and a page size dropdown set to 10. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality

The screenshot shows the AZENTIO ONEBanking application interface with a list of transactions in the 'Inbox'. The sidebar is identical to the previous screenshot. The main content area displays a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 entries, with the first entry highlighted. A search bar is visible at the top right of the table area. The bottom of the table shows 'Showing 1 to 10 of 79 entries' with navigation arrows and a page size dropdown set to 10. A blue circular button with a gear icon is visible in the bottom right corner.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 594 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:48 | HLW | AHL |
| | 593 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:43 | HLW | AHL |
| | 591 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:7 | HLW | AHL |
| | 565 | APP_CREATE | NEWAPP | BREXEC | in02040 | 19-Sep-2022 15:10 | HLW | AHL |
| | 561 | APP_CREATE | NEWAPP | BREXEC | in02040 | 19-Sep-2022 9:59 | HLW | AHL |
| | 342 | COLLATERAL | MAKER | LOSMKR | in02040 | 16-Sep-2022 16:59 | TSW | AHL |
| | 4 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 16:46 | HLW | AHL |
| | 2 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 16:0 | HLW | AHL |
| | 211 | CHARGE_MST | MAKER | LOSMKR | in02040 | 16-Sep-2022 15:42 | TSW | AHL |
| | 560 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 14:16 | HLW | AHL |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Config Manager
- Sample Screens
- Transactions
- Reports

Inbox

324

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 324 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 05-Sep-2022 15:44 | HLW | AHL |

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Config Manager
- Sample Screens
- Transactions
- Reports

Inbox

324

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 324 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 05-Sep-2022 15:44 | HLW | AHL |

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality


The screenshot displays the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search menu, and user profile information (Engl..., LOS, Aze...). The main menu on the left lists Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area shows the 'Customer details' tab selected, with sub-tabs for Application Details, Beneficiary Details, Payment Schedule, Drawdown, and Drawdown details. The content area is currently empty, showing a large grey rectangle.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker List View

(F) Personal Details Disbursement Maker
Functionality

The screenshot displays the AZENTIO ONEBanking application interface, showing the 'Customer Personal Information' list view. The top navigation bar and main menu are the same as in the previous screenshot. The main content area shows a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains one entry for Mahesh Kumar Patra, with status 'Active'. The bottom of the table shows 'Showing 1 to 1 of 1 entries' and a pagination control with a dropdown set to 5.

| Select | Action | CIF ID | First Name | Middle Name | Last Name | Customer Type | Applicant Type | Status |
|-----------------------|--|--------|------------|-------------|-----------|---------------|----------------|--------|
| <input type="radio"/> |  | | Mahesh | Kumar | Patra | I | P | Active |