


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	1 m 6.276 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the Customer Address Information Parameter details	18	15	1	2	1 m 6.271 s
	Address Details screen	List view					

DETAILED SECTION -- 4 --

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1 m 6.276 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 11:00:46.814 P	PM // 11:01:53.090 PM /	Pass - 0	1	Pass - 15	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Verify the Customer Address Information Parameter details List view

FAILED DURATION - 1 m 6.271 s	8 -					-											Steps			
/ 11:00:46.819 PM // 11:01:53.090 PM /	6-	-							-					-	-		Total - 18			
Check the functionality of Customer Address Details screen	2-		П	Ī.,	!	+ -	- -			-!		-	1	- + -		+ -	Pass - 15		18	
	0-	_			I _			_								-	Skip - 2	N		
@AT_CAD_010			1 :	2 3	4	5	6	7	8	9	10	11	12	13	14	15				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.513 s
	screenshot		
	AZENTIO Miles and Const.		
2	And User Login as maker	PASSED	3.878 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		

Step / Hook Details	Status	Duration
© 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Then user should click on the menu toggle	PASSED	1.462 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
screenshot		
STANDON OF		
Then click on inbox to search for the Customer Address Details record	PASSED	0.317 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
SCREANING CONTRACTOR OF THE PROPERTY OF THE PR	_	
Then click on search button to search the record of Customer Address Details	PASSED	0.312 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.258 s
Then enter the reference id of the Customer Address Details record	PASSED	0.088 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
screenshot]	
	Then user should click on the menu toggle AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	Then user should click on the menu toggle AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on inbox to search for the Customer Address Details record AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED Then click on search button to search the record of Customer Address Details AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED Then click on search button to search the record of Customer Address Details AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED Then enter the reference id of the Customer Address Details record AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED PASSED


7 Then click on the entitle button of the Customer Address Details record of that reference id AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.232 s PASSED 0.228 s 1.666 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.756 s FER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.683 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.757 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.777 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 8 Then click on the Additional customer into tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 9 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details PASSED 0.228 s 0.228 s 0.228 s 0.228 s 0.258 s 0.756 s		## ACCUPATION OF THE PROPERTY		
Screenshot 8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.554 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.683 s 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details PASSED 2.025 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.017 s	7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	
8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.683 s 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details PASSED 2.025 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.017 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details PASSED 2.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.025 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.025 s PASSED 0.776 s		Guerra la Manura Santin Region Solution (Section Solution		
screenshot 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 2.025 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.177 s	8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.666 s
9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.756 s
9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		ALCOHOLO IS SO IN SECURIO SEC		
Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s	9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.554 s
10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber. java. Scenario) PASSED 0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.683 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		Afters Sciols		
	10	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	PASSED	2.025 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
		screenshot		


AZENTO .		
We will see the second section of the second		
Then Verify the values in List view should be non editable on List view of Customer Address details	PASSED	0.440 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
screenshot		
ALENTYD COMMENT (STATE OF THE COMMENT OF THE COMME		
Then select the record of Address details from the customer identification screen	PASSED	1.361 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.667 s
SCREENSHOT		
Then Verify the functionality of Back button on List view of Customer Address details	PASSED	1.400 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
screenshot		
ACTIVITY OF THE PROPERTY OF T		
Then click on export to pdf button system should download Pdf file of Customer Address details	PASSED	1.986 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
		1

#	Step / Hook Details	Status	Duration
	ACCUPATION OF THE PARTY OF THE		
15	Then click on export to excel button system should download Excel file of Customer Address details	PASSED	0.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
	### APPATOO		
16	Then verify search box should display matching record with matched data of Customer Address details	FAILED	13.552 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (98995582813ff5656843e72c283bb353)] -> xpath: //div/span/i] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerAddressDetails. verify_search_box_should_display_matching_record_with_matched_data_of_customer_address_details(CustomerAddressDetails.java:545) at ?.verify search box should display matching record with matched data of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:106) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
	ADDITION OF THE PROPERTY OF TH		
17	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.000 s
18	Then Verify the functionality of add button	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

