


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	1 m 15.579 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to modify Customer Information record	19	12	1	6	1 m 15.575 s
		in the system					

DETAILED SECTION -- 4 --

## (F)- Title of your feature

FAILED	DURATION - 1 m 15.579 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 3:10:49.440 PN	M // 3:12:05.019 PM /	Pass - 0	1	Pass - 12	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- To verify user is able to modify Customer Information record in the system




#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
	+ AZENTIO		
2	And login with valid credentials	PASSED	4.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		
	AZENTIO		

After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5. And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5. And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
screenshot  And User click the module name dropdown in ULS application  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.261 s  PASSED  O.261 s  PASSED  O.280 s	3	And User get the test data for test case AT_CD_01	PASSED	0.569 s
4 And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.178 s  6 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.261 s  PASSED  O.261 s  PASSED  O.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
4 And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s		screenshot		
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AZENTO AMONG 8 See 6.		
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s				
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.261 s  PASSED  0.280 s	4	And User click the module name dropdown in ULS application	PASSED	0.242 s
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.261 s  PASSED  0.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  1		screenshot		
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  0.280 s		AZSHTIO Nacige 2 S SS SS 4.		
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  0.280 s				
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  0.280 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.113 s  0.261 s  PASSED  0.280 s				
Screenshot  6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### ### ### ### ####################	5	And User select the module name as LOS in ULS application	PASSED	5.870 s
6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The step of the st		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.261 s  0.280 s		screenshot		
6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.280 s		AZENTO Name of B NO		
6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  O.261 s  O.280 s				
6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.280 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot    PASSED   0.280 s				
Screenshot    Approx   Section   Sec	6	And User click the Mail box in ULS application	PASSED	0.261 s
ALBUTIO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
2   1   1   1   1   1   1   1   1   1		screenshot		
1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1		AZENTO  SAME SEE SEE SEE SEE SEE SEE SEE SEE SEE S		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
1 10 10 10 10 10 10 10 10 10 10 10 10 10		© 14 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
7 And User click the Search button under inbox 0.294 s	7		PASSED	0.294 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.244 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO		
8	And User search the Ref id under inbox	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
	ASSETTION  *** AND STORY OF THE WORK HOLD STO		
9	And User click the Entitle button under inbox	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	ASSETTO AND 2 OF ROS RESIDENCE   1		
10	And user click the customer details tab	PASSED	30.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
	AMERICA DE RANGE DE R		
11	And user click on the first record edit button under customer details	PASSED	0.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO		
12	And user clear the first name textfield	PASSED	0.752 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
	SECTION  SURE TO SURE		
13	And user enter the name in first name textfield	FAILED	20.978 s
	java.lang.AssertionError: Keys to send should be a not null CharSequence at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.IJARAH_Steps.user_enter_the_name_in_first_name_textfield(IJARAH_Steps.java:876) at ?.user enter the name in first name textfield(file:///C:/Users/ININDC00627/git/ULS_Ijarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:107)  * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
	ABEUTIO    ABEUTIO   ABEUT		
14	And user click on the update button	SKIPPED	0.000 s
15	And user clear the first name textfield	SKIPPED	0.000 s
16	And user click on the update button	SKIPPED	0.000 s
17	And user clear the first name textfield	SKIPPED	0.001 s
18	And user enter the name in first name textfield	SKIPPED	0.000 s
19	And user click on the update button	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber.java.Scenario)

(S) To verify user is able to modify Customer Information record in the system


(F) Title of your feature

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to modify Customer Information record in the system

(F) Title of your feature

**AZENTIO ONE**Banking













**AZENTIO ONE**Banking

0












(F) Title of your feature


(F) Title of your feature




**AZENTIO** 31-Jan-2023 📰 😂 👑 Eng... 🔻 LOS 🔻 Cen... 🔻 (Step) AFTER\_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox java. Scenario) 0 Approver Role Reference Id Client Name Event Workflow Stage Description Role Code Created Date 3253 27-Sep-2023 shweta Loan Application in02040 New Application BREXEC Durable Retail work Flow 3241 Loan Application 26-Sep-2023 App Data Entry 20 3216 liarahCust BREXEC 23-Sep-2023 Loan Application Jiara Auto Retail work Flow in02040 New Application 196 BPM Two Stage Workflow Two Stage Workflow 22-Sep-2023 2 3046 SKowsalva Loan Application Home Loan Workflow App Data Entry CPLIEXEC 22-Sep-2023 20 21-Sep-2023 3209 test Loan Application Tawarruq Retail work Flow in02040 New Application BREXEC (S) To verify user is able to modify 20 Loan Application Tawarruq Retail work Flow in02040 New Application 21-Sep-2023 Customer Information record in the system 2 21-Sep-2023 3199 meera Loan Application App Data Entry CPUEXEC 20 3138 Vikram Loan Application Home Loan Workflow New Application BREXEC 15-Sep-2023 Murabaha Auto Retail work in02040 20 3036 Loan Application New Application BREXEC 06-Sep-2023 Showing 1 to 10 of 59 entries » 10 V **EXPANDED SECTION** 



**AZENTIO** (Step) AFTER\_STEP - stepdefinitions. 31-Jan-2023 🚃 🔀 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 2971 java.Scenario) 0 Action Approver Role Reference Id Client Name Event Workflow Employee Stage Description Role Code Created Date 3253 in02040 27-Sep-2023 shweta Loan Application New Application ⇉ Durable Retail work Flow 3241 KIRAN KP Loan Application App Data Entry CPUEXEC 26-Sep-2023 20 3216 IjarahCust Loan Application liara Auto Retail work Flow in02040 BREXEC 23-Sep-2023 New Application 2 196 BPM Two Stage Workflow Two Stage Workflow maker LOSMKR 22-Sep-2023 2 22-Sep-2023 3046 SKowsalya Loan Application Home Loan Workflow App Data Entry CPLIEXEC 2 21-Sep-2023 3209 test Loan Application Tawarrug Retail work Flow in02040 New Application BREYEC (S) To verify user is able to modify 20 3208 TEST Loan Application New Application 21-Sep-2023 Customer Information record in the system 2 Consumer Durable Retail 21-Sep-2023 3199 meera Loan Application App Data Entry CPLIEXEC 20 3138 BREXEC 15-Sep-2023 Vikram Loan Application Home Loan Workflow New Application Murabaha Auto Retail work in02040 2 3036 Loan Application New Application BREXEC 06-Sep-2023 Showing 1 to 10 of 59 entries » 10 V (F) Title of your feature



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

