Cucumber Report

Start : Sep 27, 5:00:49.373 PM	End : Sep 27, 5:01:00.447 PM	Duration : 11.074 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 17

Features: 1

Scenarios: 1

Steps: 19

Pass %: 0 %

Pass %: 0 %

Pass %: 5 %

#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	11.074 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to modify Customer Information record in the system	19	1	1	17	11.070 s

(F)- Title of your feature

FAILED	DURATION - 11.074 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 5:00:49.373 PM // 5:01:00.447 PM /		Pass - 0	1	Pass - 1	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- To verify user is able to modify Customer Information record in the system

FAILED	DURATION - 11.070 s		Steps	
/ 5:00:49.377 PM // 5:01:00.447 PM /			Total - 19	
Title of your feature			Pass - 1	19
@AT_CD_05 @tag			Fail - 1	
			Skip - 17	

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.504 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
2	And login with valid credentials	FAILED	1.903 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "helper.JavascriptHelper.executeScriptWithWebElement(String)" is null
	    at stepdefinitions.IjaraLogin.loginWithIjaraApplication(IjaraLogin.java:29)
	    at stepdefinitions.IjaraTest.login_with_valid_credentials(IjaraTest.java:22)
	    at ?.login with valid credentials(file:///C:/Users/ININDC00627/git/ULS_Ijarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:96)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s

#	Step / Hook Details	Status	Duration
	screenshot		
3	And User get the test data for test case AT_CD_05	SKIPPED	0.000 s
4	And User click the module name dropdown in ULS application	SKIPPED	0.000 s
5	And User select the module name as LOS in ULS application	SKIPPED	0.000 s
6	And User click the Mail box in ULS application	SKIPPED	0.001 s
7	And User click the Search button under inbox	SKIPPED	0.000 s
8	And User search the Ref id under inbox	SKIPPED	0.001 s
9	And User click the Entitle button under inbox	SKIPPED	0.000 s
10	And user click the customer details tab	SKIPPED	0.000 s
11	And user click on the first record edit button under customer details	SKIPPED	0.000 s
12	And user clear the first name textfield	SKIPPED	0.000 s
13	And user enter the name in first name textfield	SKIPPED	0.000 s
14	And user click on the update button	SKIPPED	0.000 s
15	And user clear the first name textfield	SKIPPED	0.000 s
16	And user click on the update button	SKIPPED	0.000 s
17	And user clear the first name textfield	SKIPPED	0.000 s
18	And user enter the name in first name textfield	SKIPPED	0.001 s
19	And user click on the update button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to modify Customer Information record in the system	
(F) Title of your feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to modify Customer Information record in the system	
(F) Title of your feature	