



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	1 m 38.011 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the Customer Address Information Parameter details	18	15	1	2	1 m 38.005 s
	Address Details screen	List view					

DETAILED SECTION -- 4 --

## (F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1 m 38.011 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 11:10:20.666 P	M // 11:11:58.677 PM /	Pass - 0	1	Pass - 15	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## (S)- Verify the Customer Address Information Parameter details List view




#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.510 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.617 s
	screenshot		
	AZENTIO  Milesasi  Grad		
2	And User Login as maker	PASSED	3.927 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

Then user should click on the menu toggle	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.310 s  0.289 s  0.289 s  0.265 s  0.266 s		© ANNIO		
screenshot  Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot	3	Then user should click on the menu toggle	PASSED	1.576 s
Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
4 Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.203 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.465 s  0.237 s  0.266 s		C D D D D D D D D D D D D D D D D D D D		
Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.096 s  PASSED  0.202 s	4	Then click on inbox to search for the Customer Address Details record	PASSED	0.289 s
Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.237 s  0.266 s  0.266 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.465 s
Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.237 s  0.266 s  PASSED  0.266 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.096 s  PASSED  0.020 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.266 s  PASSED  0.096 s  PASSED  0.092 s				
Screenshot  6 Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.096 s  0.202 s	5	Then click on search button to search the record of Customer Address Details	PASSED	0.237 s
6 Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.096 s  0.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
6 Then enter the reference id of the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.096 s  0.202 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.202 s				
	6	Then enter the reference id of the Customer Address Details record	PASSED	0.096 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
		screenshot		


7 Then click on the entitle button of the Customer Address Details record of that reference id  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.014 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.014 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	
8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.678 s	
8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.678 s	i
8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.678 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.678 s	
screenshot	i
	i
ASSITTO  OF DEPTH MADE ON THE PARTY OF THE P	
9 Then select the Customer Address details record from the customer personal detail screen PASSED 0.525 s	i
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.149 s	;
screenshot	
AMOUNT DOLLAR  AMOUNT	
Then Verify system should display mention fields on List view of Customer Address Information Parameter details  PASSED 1.733 s	i
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s	i
screenshot	


,	377 s .77 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.17	
	.77 s
Screenshot     Control State	
ASSETTED  CONTROL CONT	
Total Control Contro	
Then select the record of Address details from the customer identification screen PASSED 1.41	119 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.67	676 s
screenshot	
Autorsports  Single plant  Sin	
Then Verify the functionality of Back button on List view of Customer Address details  PASSED 1.42	-21 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.23	231 s
screenshot	
ASSETTION  ADDRESS SPECIAL  ADDRESS SPEC	
Then click on export to pdf button system should download Pdf file of Customer Address details  PASSED 2.68	80 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.36	861 s
screenshot	,

#	Step / Hook Details	Status	Duration
	### ADVINO		
15	Then click on export to excel button system should download Excel file of Customer Address details	PASSED	1.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.440 s
	screenshot		
	SERVICE  STORY DECISION STORY DECISI		
16	Then verify search box should display matching record with matched data of Customer Address details	FAILED	39.583 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (22f726854e94af2804a993c080d798d7)] -> xpath: //div/span/i] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerAddressDetails.  verify_search_box_should_display_matching_record_with_matched_data_of_customer_address_details(CustomerAddressDetails.java:545) at ?.verify search box should display matching record with matched data of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:106) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
	SANTO  OF BOTH SECTION		
17	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.000 s
18	Then Verify the functionality of add button	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

