

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the property details tab	1	1	0	0	1 m 25.460 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	verify system allow user to do a modification on already	17	17	0	0	1 m 25.450 s
		saved record					

DETAILED SECTION -- 4 --

(F)- To test the property details tab

PASSED	DURATION - 1 m 25.460 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 3:55:15.159 pm	// 3:56:40.619 pm /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify system allow user to do a modification on already saved record

PASSED	DURATION - 1 m 25.450 s						-		-	-		1	1	1	1	-	-	Steps			
/ 3:55:15 169	9 pm // 3:56:40.619 pm /	30	1					-1	-	-	7			1	-1	7 -		Total - 17			
7 3.33.13.100	σ μπ // 0.30.40.013 μπ /	20	#						÷-		i		i	÷-		÷-		Pass - 17		17	
To test the pro	operty details tab	10				¦-	-	-		-¦				<u> </u>		+-		Fail - 0		·" /	
@AT_PD_004	4	0				-	<u> </u>	_	<u> </u>					-		_		Skip - 0	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
@, \	•			1 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	36.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		
	ACCEPTION AND DESCRIPTION AND DESCRIPT		
2	And user click on Inbox Icon	PASSED	0.965 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		
	ALENTO SAME OF THE PROPERTY O		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user search Appdata Entry After_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And user search Appdata Entry And user search Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.899 s 1.178 s	3	And user click search icon	PASSED	0.335 s
And user search Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5. And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s 1.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
And user search Appdata Entry AFIER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First record of Appdata Entry AFIER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFIER_STEP -		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And user choose Property Details Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreensh		No. No.		
screenshot And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s PASSED 1.178 s	4	And user search Appdata Entry	PASSED	0.165 s
And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdef		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click First Record Edit Icon PASSED 0.301 s 0.301 s 0.301 s				
screenshot And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click First Record Edit Icon PASSED 1.973 s PASSED 0.899 s 1.178 s	5	And user click on First record of Appdata Entry	PASSED	0.171 s
And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click First Record Edit Icon PASSED 1.973 s PASSED 0.899 s 1.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
And user choose Property Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click First Record Edit Icon PASSED 1.973 s 0.899 s PASSED 7 And user click First Record Edit Icon		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click First Record Edit Icon PASSED 0.899 s PASSED 1.178 s		*** SERVICE*** *** Only 10 10 10 10 10 10 10 10 10 10 10 10 10		
Screenshot 7 And user click First Record Edit Icon PASSED 1.178 s	6	And user choose Property Details Tab	PASSED	1.973 s
7 And user click First Record Edit Icon PASSED 1.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.899 s
And user click First Record Edit Icon PASSED 1.178 s		screenshot		
	7	And user click First Record Edit Icon	PASSED	1.178 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
AZENTO A CONTROL OF			
8 And user up	date the Excelsheet testdata for modification	PASSED	0.007 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.569 s
screenshot			
CONTROL OF THE PROPERTY OF THE			
9 And user Mo	dify the Security Type	PASSED	1.124 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
screenshot			
ASSETTION The control of the contro			
10 And user Mo	dify the Property City	PASSED	1.425 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
screenshot			
■ ASENTO Image: Asent Image: A			
11 And user Mo	dify the Property Type	PASSED	1.115 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
screenshot			


12 And user Modify the Apf Status AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And user Modify the Construction Status AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And user Modify the Construction Status AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.011 s PASSED 0.236 s
Screenshot 13 And user Modify the Construction Status AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s
13 And user Modify the Construction Status AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s
Screenshot Secretion Secr
A ATOMIC SAME SAME SAME SAME SAME SAME SAME SAME
To the second se
14 And user Modify the Property Category 1.022 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222 s
screenshot
ACCUPTION AND SET OF
15 And user Modify the Nature of Property PASSED 1.048 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	*** CANCELLO *** SANDE DE TOUR		
16	And user Modify the Occupancy Status	PASSED	1.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	### April 19 1		
17	And save the property details record	PASSED	16.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.845 s
	screenshot		
	TAKEND SOURCE STATE STA		




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

