# Cucumber Report

Sep 21, 2022, 5:31:54 PM

| Start : Sep 21, 5:31:26.913 PM | End : Sep 21, 5:31:53.166 PM | Duration : 26.253 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 7 <br> FAILED - 1 <br> SKIPPED - 6 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of Customer Document Details screen | 1 | 0 | 1 | 0 | 26.253 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of Customer Document Details screen | Verify system should allow user to do a modification with valid data | 14 | 7 | 1 | 6 | 26.249 s |

## (F)- Check the functionality of Customer Document Details screen

| FAILED | DURATION - 26.253 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 5:31:26.913 PM // 5:31:53.166 PM / | | Total - 1 <br> Pass - 0 <br> Fail - 1 <br> Skip - 0 | 1 | Total - 14 <br> Pass - 7 <br> Fail - 1 <br> Skip - 6 | 14 |

## (S)- Verify system should allow user to do a modification with valid data

| FAILED | DURATION - 26.249 s | | Steps | |
|---|---|---|---|---|
| / 5:31:26.917 PM // 5:31:53.166 PM / | | | Total - 14 | |
| Check the functionality of Customer Document Details screen | | | Pass - 7 <br> Fail - 1 | 14 |
| @AT_DLDD_003 | | | Skip - 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 4.752 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.453 s |
| | screenshot | | |
| | | | |
| 2 | And User Login as maker | PASSED | 3.273 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.243 s |
| | screenshot | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then user should click on the menu toggle in login page | PASSED | 0.769 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.239 s |
| 4 | Then click on inbox to search for the Customer Document Details record | PASSED | 0.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.359 s |
| 5 | Then click on search button to search the record of Customer Document Details in inbox | PASSED | 0.106 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.262 s |
| 6 | Then enter the reference id of the Customer Document Details record | PASSED | 0.067 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.198 s |
| 7 | Then click on the entitle button of the Customer Document Details record of that reference id | PASSED | 0.172 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot | PASSED | 0.251 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | Then click on the Document Details tab | FAILED | 10.375 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-segment-button[@id='seg6']' (tried for 10 second(s) with 500 milliseconds interval) | | |
| |    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) | | |
| |    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) | | |
| |    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) | | |
| |    at stepdefinitions.CustomerDocumentDetails.click_on_the_document_details_tab(CustomerDocumentDetails.java:81) | | |
| |    at ?.click on the Document Details tab(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerDocumentDetails.feature:12) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-segment-button[@id='seg6']"}   (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [798bbed92545c74e03d679c9b457abc2, findElement {using=xpath, value=//ion-segment-button[@id='seg6']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60491}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60491/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 798bbed92545c74e03d679c9b457abc2 | | |
| |    at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) | | |
| |    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| |    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| |    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| |    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| |    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| |    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| |    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| |    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| |    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| |    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| |    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| |    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| |    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| |    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| |    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| |    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| |    at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) | | |
| | at stepdefinitions.CustomerDocumentDetails.click_on_the_document_details_tab(CustomerDocumentDetails.java:81) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:276)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)<br>at org.testng.TestNG.runSuites(TestNG.java:1063)<br>at org.testng.TestNG.run(TestNG.java:1031)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.102 s |
| 9 | Then open the record of Customer Document Details to modify | SKIPPED | 0.000 s |
| 10 | Then verify system should allow user to do a modification of Customer Document Details record before approved | SKIPPED | 0.000 s |
| 11 | Then verify system should allow user to do a modification with valid data | SKIPPED | 0.000 s |
| 12 | Then verify system display the confirmation message post clicking on save button of Customer Employment Details record | SKIPPED | 0.000 s |
| 13 | And verify the same record of Customer Document Details should get saved in a system | SKIPPED | 0.000 s |
| 14 | Then verify the functionality of Back button of Customer Document Details record | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system should allow user to do a modification with valid data

(F) Check the functionality of Customer Document Details screen



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system should allow user to do a modification with valid data

(F) Check the functionality of Customer Document Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system should allow user to do a modification with valid data

(F) Check the functionality of Customer Document Details screen



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system should allow user to do a modification with valid data

(F) Check the functionality of Customer Document Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system should allow user to do
a modification with valid data

(F) Check the functionality of Customer
Document Details screen

**AZENTIO**
ONEBanking

Engl... | LOS | Aze... |

### Inbox

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 594 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:48 | HLW | AHL | | T | |
| | 593 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:43 | HLW | AHL | | T | |
| | 591 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:7 | HLW | AHL | | T | |
| | 565 | APP_CREATE | NEWAPP | BREXEC | in02040 | 19-Sep-2022 15:10 | HLW | AHL | | T | |
| | 561 | APP_CREATE | NEWAPP | BREXEC | in02040 | 19-Sep-2022 9:59 | HLW | AHL | | T | |
| | 342 | COLLATERAL | MAKER | LOSMKR | in02040 | 16-Sep-2022 16:59 | TSW | | | M | |
| | 4 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 16:46 | HLW | AHL | | T | |
| | 2 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 16:0 | HLW | AHL | | T | |
| | 211 | CHARGE MST | MAKER | LOSMKR | in02040 | 16-Sep-2022 | TSW | | | M | |

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system should allow user to do
a modification with valid data

(F) Check the functionality of Customer
Document Details screen

**AZENTIO**
ONEBanking

Engl... | LOS | Aze... |

### Inbox

506

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 594 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:48 | HLW | AHL | | T | |
| | 593 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:43 | HLW | AHL | | T | |
| | 591 | APP_CREATE | NEWAPP | BREXEC | in02040 | 21-Sep-2022 11:7 | HLW | AHL | | T | |
| | 565 | APP_CREATE | NEWAPP | BREXEC | in02040 | 19-Sep-2022 15:10 | HLW | AHL | | T | |
| | 561 | APP_CREATE | NEWAPP | BREXEC | in02040 | 19-Sep-2022 9:59 | HLW | AHL | | T | |
| | 342 | COLLATERAL | MAKER | LOSMKR | in02040 | 16-Sep-2022 16:59 | TSW | | | M | |
| | 4 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 16:46 | HLW | AHL | | T | |
| | 2 | APP_CREATE | NEWAPP | BREXEC | in02040 | 16-Sep-2022 16:0 | HLW | AHL | | T | |
| | 211 | CHARGE MST | MAKER | LOSMKR | in02040 | 16-Sep-2022 | TSW | | | M | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system should allow user to do a modification with valid data

(F) Check the functionality of Customer Document Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system should allow user to do a modification with valid data

(F) Check the functionality of Customer Document Details screen