

Cucumber Report

Sep 7, 2022, 2:15:37 PM

Start : Sep 07, 2:14:13.678 PM

End : Sep 07, 2:15:37.027 PM

Duration : 1 m 23.349 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9


FAILED - 1

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Personal Details Disbursement Maker Functionality</u>	1	0	1	0	1 m 23.349 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker Functionality	To check the functionality of Personal Details Disbursement Maker	12	9	1	2	1 m 23.345 s





(F)- Personal Details Disbursement Maker Functionality





FAILED	DURATION - 1 m 23.349 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 9 Fail - 1 Skip - 2	
/ 2:14:13.678 PM // 2:15:37.027 PM /					

(S)- To check the functionality of Personal Details Disbursement Maker

FAILED	DURATION - 1 m 23.345 s		Steps Total - 12 Pass - 9 Fail - 1 Skip - 2	
/ 2:14:13.682 PM // 2:15:37.027 PM /				
Personal Details Disbursement Maker Functionality				
@PDDM				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
2	And User Login as maker	PASSED	6.893 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot 		
5	Then search Personal Details Disbursement Maker record	PASSED	1.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Details Segment button	PASSED	2.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
8	Then open Customer Details record	PASSED	2.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
			
9	Then verify the field Customer Type	PASSED	30.785 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
			
10	Then verify the field Applicant Type	FAILED	30.313 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Guarantor')]/../ion-radio' (tried for 30 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.PersonalDetails_DisbursementMaker.verify_the_field_applicant_type(PersonalDetails_DisbursementMaker.java:78) at ?.verify the field Applicant Type(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementMaker.feature:14)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Guarantor')]/../ion-radio"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a24e440a97c3e6843a1ebebdfcf8171d, findElement {using=xpath, value=//ion-label[contains(text(),'Guarantor')]/../ion-radio}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:/Users/ININDC~1/AppData/L...}, goog:chromeOptions: {debuggerAddress: localhost:61103}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61103/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a24e440a97c3e6843a1ebebdfcf8171d</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.PersonalDetails_DisbursementMaker.verify_the_field_applicant_type(PersonalDetails_DisbursementMaker.java:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.112 s
			
11	Then verify the field Salutation	SKIPPED	0.000 s
12	Then verify the field First Name	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker


(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

Action

Showing 0 to 0 of 0 entries

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	380	APP_CREATE	DISBMKR	OPEMKR	in02040	07-Sep-2022 12:24	HLW	AHL
	388	APP_CREATE	APPDATAENT	CPUEXEC	in02040	07-Sep-2022 12:17	HLW	AHL
	374	APP_CREATE	APPDATAENT	CPUEXEC	in02040	07-Sep-2022 10:12	HLW	AHL
	323	APP_CREATE	DISBCKR	OPECHK	in02040	07-Sep-2022 2:56	HLW	AHL
	370	APP_CREATE	FCUVRFY	CPUEXEC	in02040	06-Sep-2022 19:26	HLW	AHL
	370	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Sep-2022 19:26	HLW	AHL
	364	APP_CREATE	OFFERING	CREOFF	in02040	06-Sep-2022 16:1	HLW	AHL
	345	APP_CREATE	APPDATAENT	CPUEXEC	in02040	06-Sep-2022 15:35	HLW	AHL
	363	APP_CREATE	NEWAPP	BREXEC	in02040	06-Sep-2022 14:53	HLW	AHL
	348	APP_CREATE	APPDATAENT	CPUEXEC	in02040	06-Sep-2022 12:22	HLW	AHL

Showing 1 to 10 of 35 entries

1 2 3 4

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

324

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	324	APP_CREATE	DISBMKR	OPEMKR	in02040	05-Sep-2022 15:44	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

324

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	324	APP_CREATE	DISBMKR	OPEMKR	in02040	05-Sep-2022 15:44	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality


The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (with sub-items Config Manager and Sample Screens), Transactions, and Reports. The main content area has a top navigation bar with tabs: Prev, Application Details, Customer details (active), Beneficiary Details, Payment Schedule, Drawdown, Drawdown details, and Next. Below the tabs is a large empty grey area. At the bottom right of the main area are buttons for Approve, Reject, Return, and a refresh icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

The screenshot displays the AZENTIO ONEBanking application interface, specifically the 'Customer Personal Information' section. The left sidebar is identical to the previous screenshot. The main content area has a top navigation bar with tabs: Prev, Application Details, Customer details (active), Beneficiary Details, Payment Schedule, Drawdown, Drawdown details, and Next. Below the tabs, the title 'Customer Personal Information' is followed by a search bar and an 'Export' dropdown. A table with the following columns is shown: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains one entry for a customer named Mahesh Kumar Patra, with Customer Type 'I' and Applicant Type 'P'. The Status is 'Active'. At the bottom right of the table, it says 'Showing 1 to 1 of 1 entries' with pagination controls.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Mahesh	Kumar	Patra	I	P	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Customers Information' and 'Personal Details'. It contains a form with the following fields: Customer Type (Individual Customer), Applicant Type (Primary Applicant), Salutation (Mrs), KYC Status, First Name (Mahesh), Middle Name (Kumar), Last Name (Patra), Father's First Name (Sagar), Father's Middle Name (kumar), Father's Last Name (Patra), Spouse's First Name, Spouse's Middle Name, Spouse's Last Name, No. Of Children (0), Spouse Status (Select), Date Of Birth (20-Apr-1993), Gender (MALE), Education Level (Graduate), Marital Status (Single), Nationality (Indian), and Ethnicity (General). Navigation buttons at the top include Prev, Application Details, Customer details (active), Beneficiary Details, Payment Schedule, Drawdown, Drawdown details, and Next. A top bar shows language (Engl...), LOS, Aze..., and a user profile. An 'Initiate Video KYC' button is in the top right of the form area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

This is a duplicate of the screenshot above, showing the same AZENTIO ONEBanking 'Customers Information' and 'Personal Details' form with identical field values and layout.