


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | Check the functionality of Customer Address Details screen | 1 | 0 | 1 | 0 | 1 m 18.602 s |



-- 3 --

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|---|----|---|---|----|--------------|
| 1 | Check the functionality of Customer | verify the functionality of save button post entering all valid | 23 | 6 | 1 | 16 | 1 m 18.597 s |
| | Address Details screen | details and clicking on save button | | | | | |

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

| FAILED | DURATION - 1 m 18.602 s | Scenarios | | Steps | |
|---------------|-------------------------|-----------|---|------------------|----|
| | | Total - 1 | | Total - 23 | |
| / 8:37:09.794 | PM // 8:38:28.396 PM / | Pass - 0 | 1 | Pass - 6 | 23 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 16 | |

(S)- verify the functionality of save button post entering all valid details and clicking on save button

| FAILED DURATION - 1 m 18.597 s | 60 - | | | | | | -, | | - | 7 | | | - | - | Ţ - | -; | Steps | | |
|---|------|---|---|---|---|-------|----|---|----|-----|----|----|----------|----|-----|----|------------|----|--|
| / 8:37:09.799 PM // 8:38:28.396 PM / | 40 - | | | | | - | -¦ | - | - | | - | ¦ | <u> </u> | - | - | | Total - 23 | | |
| Check the functionality of Customer Address | 20 - | - | | | | - + - | | | | | | | - | | + - | | Pass - 6 | 23 | |
| Details screen | 0 - | | _ | - | - | - | - | | -! | ļ., | | j | <u> </u> | -1 | 1 _ | | Skip - 16 | | |
| @AT_CAD_002 | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 6.104 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.412 s |
| | screenshot | | |
| | AZENTIO INTERNAL DESCRIPTION THEN THE PROPERTY OF THE PROPER | | |
| 2 | And User Login as maker | PASSED | 3.594 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |


| 3 Then user should click on the menu toggle AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 4 Then click on inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s PASSED 0.223 s 0.175 s PASSED 0.175 s PASSED 0.175 s PASSED 0.192 s | | 2 ANNTO 2 0 € 10 000 000 000 00 00 00 00 00 00 00 00 | | |
| screenshot Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | 3 | | PASSED | 0.414 s |
| 4 Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s PASSED 0.192 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.253 s |
| 4 Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s 0.175 s 0.192 s | | G | | |
| Screenshot And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | 4 | Then click on inbox | PASSED | 0.243 s |
| 5 And user click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s 0.223 s 0.223 s 0.175 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s 0.192 s | | | PASSED | 0.367 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.223 s 0.223 s 0.223 s 0.223 s | | The state of the s | | |
| Screenshot 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s 0.192 s | 5 | And user click search icon | PASSED | 0.244 s |
| 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.175 s 0.192 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.223 s |
| 6 Then search Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s 0.192 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s | | Company Comp | | |
| | 6 | Then search Customer Address Details record | PASSED | 0.175 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.192 s |
| | | screenshot | 7 | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| | ### ACCUPATION OF THE PROPERTY | | |
| 7 | And maker user open the record from inbox | FAILED | 1 m 0.125 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (87eb13a4836841406def81e5e94e3b9]) -> xpath: //span[contains(text(t), 6487)].//d/button] (tried for 60 second(s) with 2 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.imeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait[WaitHelper.java:103) at stepdefinitions.ProductMaster_Retail.maker_user_open_the_record_from_inbox(ProductMaster_Retail.java:1183) at 7.maker user open the record from inbox(file://l/C./Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:256) Caused by: org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info. chrome=100.0.4896.60) For documentation on this error, please visit. https://selenium.dev/exceptions/f/stale_element_referenceBuild info: version: 40.0-fc-17, revision: bc5511cbda* System info: host: "PG0/08AKU; ip: "01.0.47.121; os.name: Windows 10", os.arch: amd64", os.version: '10.0", java.version: '17.0.1" Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [87eb13a48368411400def812659463b9, isElementDisplayed (id=898eb362-8701-4e1e-a57d-lec26e22743f) Capabilities (acceptinsecureCerts; false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5userDataDir: C/UsersINININDC-11AppDatatl), goog:chromeOptions: (debuggerAddress: localhost.51509); lavascriptEnabled: true, networkConnectionEnabled: false, pageLoad: 300000 Script: 30000, script: 30000, unhandledPromptBehavior: dismiss and notify. webauthn:extension:credBlob: true, webauthn:extension:cageBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (87eb13a48368411400def812659e483b)] > x yapth: //span[contains(| | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103) | | |
| | at stepdefinitions.ProductMaster_Retail.maker_user_open_the_record_from_inbox(ProductMaster_Retail.java:1183) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |

| # | Step / Hook Details | Status | Duration |
|-----|---|--------------------|--------------------|
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.218 s |
| | screenshot |] | |
| 0 | Then click on Additional quatement info Cogmont button | CVIDDED | 0.000 0 |
| 8 | Then click on Additional customer info Segment button | SKIPPED | 0.000 s |
| 9 | Then click on Action button of Customer Personal Information | SKIPPED | 0.000 s |
| 10 | Then from customer identification screen click on add button of Address details | SKIPPED | 0.000 s |
| 11 | Then select Address Type | SKIPPED | 0.000 s |
| 12 | Then select Address Status | SKIPPED | 0.000 s |
| 13 | Then select Residential or Occupancy Status | SKIPPED | 0.000 s |
| 14 | Then Enter Address Line 2 | SKIPPED | 0.000 s 0.000 s |
| 15 | Then Enter Address Line2 | SKIPPED | |
| 16 | Then select Country Then select Province ID | SKIPPED SKIPPED | 0.000 s 0.000 s |
| 18 | Then Enter Neighbourhood District Name | SKIPPED | 0.000 s |
| 19 | · | SKIPPED | 0.000 s |
| 20 | Then select City ID Then Enter Zip Code | SKIPPED | 0.000 s |
| 21 | | SKIPPED | 0.000 s |
| 22 | Then Enter Mobile Number primary Then Enter Occupancy Date | SKIPPED | 0.000 s |
| 23 | Then Enter Occupancy Date Then click on save button of Address Detail | | 0.000 s |
| 23_ | THEIT CHICK OIT Save BULLOIT OF AUGIESS DETAIL | SKIPPED | 0.000 S |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) User ID (S) verify the functionality of save button **AZENTIO** post entering all valid details and clicking on save button CONTINUE (F) Check the functionality of Customer Address Details screen **AZENTIO** engl...▼ LOS ▼ Aze... ▼ (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. java.Scenario) 88 0 $\supset \zeta$ (S) verify the functionality of save button post entering all valid details and clicking on save button (F) Check the functionality of Customer Address Details screen





EXPANDED SECTION -- 12 --

