Cucumber Report

| Start : Nov 17, 5:36:43.880 pm	End : Nov 17, 5:37:30.646 pm	Duration : 46.766 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 11 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	46.766 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses record with invalid data	11	11	0	0	46.756 s

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 46.766 s	Scenarios		Steps	
/ 5:36:43.880 pm // 5:37:30.646 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 11 Pass - 11 Fail - 0 Skip - 0	11

(S)- Creation of Living Expenses record with invalid data

PASSED	DURATION - 46.756 s		Steps	
/ 5:36:43.890 pm // 5:37:30.646 pm /			Total - 11	
Check the functionality of Living Expenses Master			Pass - 11 Fail - 0	11
@AT_LE_005_Validation			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.552 s
	screenshot		
2	Then user change Application Type as Los	PASSED	2.612 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
	screenshot		
4	When user click Config Manager menu	PASSED	0.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
	screenshot		
5	And user click on List view Icon of Living Expenses	PASSED	0.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.619 s
	screenshot		
6	And user click on Add Icon for Living Expenses	PASSED	0.769 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
7	And user save the Record in Living Expensess	PASSED	0.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user Pass the Exceldata value for Invalid	PASSED	0.033 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
9	And user verify the Blank field in Living Expense	PASSED	0.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
10	And user Enter Invalid value in Description2 and verify it	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
11	And Validate the Message and verify it	PASSED	0.053 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

AZENTIO

ONEBanking

17-Nov-2022

Engl... LOS Aze...

Living Expense Definition

Living Expense Definition

Description *

Required field

Description2 *

@#$%^&

Alphanumeric characters allowed

Description3 *

Required field

Rule

Select

Effective Date *

Required field

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Defination

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

Please fill all the details