Cucumber Report

18-Nov-2022, 5:12:42 pm

Start : Nov 18, 5:11:38.966 pm	End : Nov 18, 5:12:38.452 pm	Duration : 59.486 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 12 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	59.486 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses Location record with invalid data	12	12	0	0	59.479 s

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 59.486 s	Scenarios		Steps	
/ 5:11:38.966 pm // 5:12:38.452 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 12 Pass - 12 Fail - 0 Skip - 0	

(S)- Creation of Living Expenses Location record with invalid data

PASSED	DURATION - 59.479 s		Steps	
/ 5:11:38.973 pm // 5:12:38.452 pm /			Total - 12 Pass - 12 Fail - 0 Skip - 0	
Check the functionality of Living Expenses Master				
@AT_LE_028_Validation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	21.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.442 s
	screenshot		
	 +		
2	Then user change Application Type as Los	PASSED	2.969 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.596 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.547 s
	screenshot		
			
5	And user Goto the Temp view screen of living Expense	PASSED	0.880 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.102 s
	screenshot		
			
6	And click on Pencil icon of existing record	PASSED	1.554 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.614 s
	screenshot		
			
7	And Navigate to Living expense location page	PASSED	0.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.792 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Click on Add icon of Living expense parameter	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.935 s
	screenshot		
			
9	And user save the Record in Living Expensess	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
			
10	And user Pass the Exceldata value for Living Expense Loccation Invalid	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			
11	And user verify the Blank field in Living Expense	PASSED	0.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And Enter the Invalid value in Area factor income of Living expense parameter	PASSED	0.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Creation of Living Expenses Location record with invalid data

(F) Check the functionality of Living Expenses Master



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Creation of Living Expenses Location record with invalid data	
(F) Check the functionality of Living Expenses Master	