

Cucumber Report

Sep 22, 2022, 4:02:09 PM

Start : Sep 22, 4:01:30.373 PM

End : Sep 22, 4:02:08.588 PM

Duration : 38.215 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 14


FAILED - 1

SKIPPED - 3







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Check the functionality of Customer Address Details screen</u> | 1 | 0 | 1 | 0 | 38.215 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|----|---|---|----------|
| 1 | Check the functionality of Customer Address Details screen | Verify the Customer Address Information Parameter details List view | 18 | 14 | 1 | 3 | 38.210 s |

(F)- Check the functionality of Customer Address Details screen

| | | | | | |
|--------------------------------------|----------------------------|--|---|--|---|
| FAILED | DURATION - 38.215 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 18 Pass - 14 Fail - 1 Skip - 3 |  |
| / 4:01:30.373 PM // 4:02:08.588 PM / | | | | | |

(S)- Verify the Customer Address Information Parameter details List view


| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 38.210 s</div> | |  | <div>Steps</div> <div>Total - 18</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 4:01:30.378 PM // 4:02:08.588 PM / | | | | |
| Check the functionality of Customer Address Details screen | | | | |
| @AT_CAD_010 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.691 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.462 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 3.193 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.290 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then user should click on the menu toggle | PASSED | 0.929 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.262 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on inbox to search for the Customer Address Details record | PASSED | 0.205 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.331 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on search button to search the record of Customer Address Details | PASSED | 0.130 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.243 s |
| | screenshot | | |
| |  | | |
| 6 | Then enter the reference id of the Customer Address Details record | PASSED | 0.081 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | Then click on the entitle button of the Customer Address Details record of that reference id | PASSED | 0.187 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.243 s |
| | screenshot | | |
| |  | | |
| 8 | Then click on the Additional customer info tab in Customer Personal Information screen | PASSED | 1.122 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.518 s |
| | screenshot | | |
| |  | | |
| 9 | Then select the Customer Address details record from the customer personal detail screen | PASSED | 0.435 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.441 s |
| | screenshot | | |
| |  | | |
| 10 | Then Verify system should display mention fields on List view of Customer Address Information Parameter details | PASSED | 1.336 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.237 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 11 | Then Verify the values in List view should be non editable on List view of Customer Address details | PASSED | 0.282 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
| | screenshot | | |
| |  | | |
| 12 | Then select the record of Address details from the customer identification screen | PASSED | 1.179 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.296 s |
| | screenshot | | |
| |  | | |
| 13 | Then Verify the functionality of Back button on List view of Customer Address details | PASSED | 1.474 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.249 s |
| | screenshot | | |
| |  | | |
| 14 | Then click on export to excel button system should download Excel file of Customer Address details | PASSED | 1.472 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.370 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 15 | <p>Then click on export to pdf button system should download Pdf file of Customer Address details</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[contains(text(),'PDF')]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerAddressDetails. click_on_export_to_pdf_button_system_should_download_pdf_file_of_customer_address_details(CustomerAddressDetails.java:504) at ?.click on export to pdf button system should download Pdf file of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:105) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'PDF')]} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [180e3de55dcfa4dfe230f12e7b6ef611, findElement {using=xpath, value=//span[contains(text(),'PDF')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:57365}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57365/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 180e3de55dcfa4dfe230f12e7b6ef611 atjdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> | FAILED | 10.671 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerAddressDetails. click_on_export_to_pdf_button_system_should_download_pdf_file_of_customer_address_details(CustomerAddressDetails.java:504) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.184 s |
| 16 | Then verify search box should display matching record with matched data of Customer Address details | SKIPPED | 0.000 s |
| 17 | Then verify search box should not display any record with mismatched data of Customer Address details | SKIPPED | 0.000 s |
| 18 | Then Verify the functionality of add button | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO™
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

Search

Grid

Settings

Share

Refresh

AZENTIO™
ONEBanking

Engl...

LOS

Aze...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking dashboard. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and features three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. All charts show a single data point represented by a circle. The bottom of the dashboard indicates it is 'Powered by Metabase'. The top right corner shows user settings for 'Engl...', 'LOS', and 'Aze...' along with a profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking dashboard with the 'Inbox' view selected. The left sidebar is identical to the previous screenshot. The main content area is titled 'Inbox' and shows an 'Action' section with a search bar and a list of entries. The list is currently empty, displaying 'Showing 0 to 0 of 0 entries'. The bottom right corner features a blue circular button with a gear icon. The top right corner shows user settings for 'Engl...', 'LOS', and 'Aze...' along with a profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

×

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 645 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:49 | HLW | AHL | | T | T |
| | 644 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:30 | HLW | AHL | | T | T |
| | 643 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:26 | HLW | AHL | | T | T |
| | 639 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:8 | HLW | AHL | | T | T |
| | 610 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:56 | HLW | AHL | | T | T |
| | 636 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:40 | HLW | AHL | | T | T |
| | 638 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 620 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 13:35 | HLW | AHL | | T | T |
| | 231 | CHARGE_MST | MAKER | LOSMKR | in02040 | 22-Sep-2022 13:9 | TSW | | | M | M |
| | 631 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:53 | HLW | AHL | | T | T |

Showing 1 to 10 of 98 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

×

50d

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 645 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:49 | HLW | AHL | | T | T |
| | 644 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:30 | HLW | AHL | | T | T |
| | 643 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:26 | HLW | AHL | | T | T |
| | 639 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:8 | HLW | AHL | | T | T |
| | 610 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:56 | HLW | AHL | | T | T |
| | 636 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:40 | HLW | AHL | | T | T |
| | 638 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 620 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 13:35 | HLW | AHL | | T | T |
| | 231 | CHARGE_MST | MAKER | LOSMKR | in02040 | 22-Sep-2022 13:9 | TSW | | | M | M |
| | 631 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:53 | HLW | AHL | | T | T |

Showing 1 to 10 of 98 entries << < 1 2 3 4 5 > >> 10

(F) Check the functionality of Customer Address Details screen

Engl... ▾

LOS ▾

Aze... ▾

Dashboard

Configurations ▾

Transactions ▾

Reports ▾

Inbox

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|----------------------|---------------|---------|---------------|------------|------------------|
| | 506 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 15-Sep-2022 10:22 | HLW | AHL | | T | |

Showing 1 to 1 of 1 entries
 <<
 <
 1
 >
 >>

10 ▾

(F) Check the functionality of Customer Address Details screen

Engl...
LOS
Aze...

Dashboard

Configurations

Transactions

Reports

Prev

Next

Customer Personal Information

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the 'Additional Customer Info' section of the AZENTIO ONEBanking interface. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Customer Personal Information' and features a search bar with 'testerE' and an 'Export' button. Below this is a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains one entry with 'testerE' as the CIF ID, 'mname' as the First Name, 'lname' as the Last Name, and 'Active' as the Status. The bottom of the screen shows a pagination bar indicating 'Showing 1 to 1 of 1 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays two sections of the AZENTIO ONEBanking interface. The top section is titled 'Customer Identification' and features a search bar with a magnifying glass icon and an 'Export' button. Below this is a table with columns: Action, ID Type, ID Number, Issue Date, Expiry Date, Primary ID flag, Verified Flag, Verified Message, and Status. The table contains one entry with '26003' as the ID Type, '12345612345' as the ID Number, and 'Active' as the Status. The bottom section is titled 'Address Details' and features a search bar with a magnifying glass icon and an 'Export' button. Below this is a table with columns: Action, Address Type, Country, Occupancy Status, Occupance Since, Contact Address, and Status. The table contains three entries with '986', '16', and '16' as Address Types, '1105415' as the Country, and 'Active' as the Status. The bottom of the screen shows a pagination bar indicating 'Showing 1 to 3 of 3 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Customer Identification

| Action | ID Type | ID Number | Issue Date | Expiry Date | Primary ID flag | Verified Flag | Verified Message | Status |
|--------|---------|-----------|-------------|-------------|-----------------|---------------|------------------|--------|
| | | 26003 | 12345612345 | | Y | | | Active |

Showing 1 to 1 of 1 entries

Address Details

| Action | Address Type | Country | Occupancy Status | Occupance Since | Contact Address | Status |
|--------|--------------|---------|------------------|-----------------|--------------------|--------|
| | 986 | 1105415 | 52420 | 04-Sep-2022 | ModifyAddressLine1 | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |

Showing 1 to 3 of 3 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Address Details

| Action | Address Type | Country | Occupancy Status | Occupance Since | Contact Address | Status |
|--------|--------------|---------|------------------|-----------------|--------------------|--------|
| | 986 | 1105415 | 52420 | 04-Sep-2022 | ModifyAddressLine1 | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Address Details

| Action | Address Type | Country | Occupancy Status | Occupance Since | Contact Address | Status |
|--------|--------------|---------|------------------|-----------------|--------------------|--------|
| | 986 | 1105415 | 52420 | 04-Sep-2022 | ModifyAddressLine1 | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |

Showing 1 to 3 of 3 entries

Contact Details

No Records found

References List View

| Action | Salutation | Name | Mobile Number | Years known | Status |
|--------|------------|------|---------------|-------------|--------|
|--------|------------|------|---------------|-------------|--------|

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Address Details

| Action | Address Type | Country | Occupancy Status | Occupance Since | Contact Address | Status |
|--------|--------------|---------|------------------|-----------------|--------------------|--------|
| | 986 | 1105415 | 52420 | 04-Sep-2022 | ModifyAddressLine1 | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |

Showing 1 to 3 of 3 entries

Contact Details

No Records found

References List View

| Action | Salutation | Name | Mobile Number | Years known | Status |
|--------|------------|------|---------------|-------------|--------|
|--------|------------|------|---------------|-------------|--------|

(F) Check the functionality of Customer Address Details screen

Engl... ▾
LOS ▾
Aze... ▾

- Dashboard
- Configurations ▾
- Transactions ▾
- Reports ▾

Address Details

+

Export ▾

| Action | Address Type ↑↓ | Country ↑↓ | Occupancy Status ↑↓ | Occupance Since ↑↓ | Contact Address ↑↓ | Status ↑↓ |
|--------|-----------------|------------|---------------------|--------------------|--------------------|-----------|
| | 986 | 1105415 | 52420 | 04-Sep-2022 | ModifyAddressLine1 | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |
| | 16 | 1105415 | 98303498 | 19-Oct-2022 | 2B | Active |

Showing 1 to 3 of 3 entries << < 1 > >>

5 ▾

Contact Details

+

| Action | Phone Type ↑↓ | Phone Number ↑↓ | Email Type ↑↓ | Email Id ↑↓ | Status ↑↓ |
|-------------------------------------|---------------|-----------------|---------------|-------------|-----------|
| No Records found << < > >> | | | | | |

5 ▾

References List View

+

| Action | Reference Type ↑↓ | Reference Number ↑↓ | Reference Date ↑↓ | Status ↑↓ |
|-------------------------------------|-------------------|---------------------|-------------------|-----------|
| No Records found << < > >> | | | | |

5 ▾