

# Cucumber Report

Jul 20, 2022, 1:05:59 PM

Start : Jul 20, 1:05:25.815 PM

End : Jul 20, 1:05:58.689 PM

Duration : 32.874 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	32.874 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	7	5	1	1	32.870 s





**(F)- Product Master Retail Functionality**


<b>FAILED</b>	<b>DURATION - 32.874 s</b>	Scenarios		Steps	
/ 1:05:25.815 PM // 1:05:58.689 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**(S)- Product Master Retail Field validation**

<div>FAILED</div> <div>DURATION - 32.870 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 1:05:25.819 PM // 1:05:58.689 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	5.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
6	Then verify all the fields are available on the screen	FAILED	13.928 s
	<p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c474354397bf3a85da4a077ec4fb800, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:54111},</p>		

#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54111/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c474354397bf3a85da4a077ec4fb800</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1042)  at helper.AlertHelper.getAlert(AlertHelper.java:25)  at helper.AlertHelper.getAlertText(AlertHelper.java:45)  at stepdefinitions.ProductMaster_Retail.verify_all_the_fields_are_available_on_the_screen(ProductMaster_Retail.java:140)  at ?.verify all the fields are available on the screen(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.118 s
7	Then click on Product Master back button	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with a status of 'Active'. At the bottom of the table, it says 'Showing 1 to 5 of 68 entries' with pagination controls. A search bar and an 'Export' button are in the top right of the table area. The top of the page has a header with a menu icon, language (English), location (LOS), software (Azentio Software), and user profile (Puneet, 01-Sep-2023).

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area is titled 'Product Master' and contains a form with fields: Product Group (dropdown with 'Lending' selected), Product Code (text input with 'LO'), Product Description (text input with 'OK'), Retail/Corporate (dropdown with 'Retail' selected), DM Code (text input with 'Loan'), and Remarks (text area with 'Loan01'). At the bottom, there is a grey box with the text 'Request to database error: syntax error at or near 'Loan01''. The top of the page has the same header as the previous screenshot.