# Cucumber Report

| *Start : Sep 30, 5:53:53.698 pm* | *End : Sep 30, 5:54:39.451 pm* | *Duration : 45.753 s* |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 10<br>FAILED - 0<br>SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of Asset Model Master | 1 | 1 | 0 | 0 | 45.753 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of Asset Model Master | verify user is able to add new Template details  record in the system by entering invalid data | 10 | 10 | 0 | 0 | 45.744 s |

## (F)- Check the functionality of Asset Model Master

| PASSED | DURATION - 45.753 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 10 | |
| */ 5:53:53.698 pm // 5:54:39.451 pm /* | | Pass - 1 | 1 | Pass - 10 | 10 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- verify user is able to add new Template details  record in the system by entering invalid data

| PASSED | DURATION - 45.744 s | | Steps | |
|---|---|---|---|---|
| */ 5:53:53.707 pm // 5:54:39.451 pm /* | | | Total - 10 | |
| Check the functionality of Asset Model Master | | | Pass - 10 | 10 |
| @AT_AAM_T017 | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user log in as uls application maker | PASSED | 22.326 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 1.010 s |
| 2 | Then user click on configurations Tab | PASSED | 0.152 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.325 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | When user click Config Manager menu | PASSED | 0.314 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.366 s |
| | screenshot  | | |
| 4 | And user click on Asset Auto Master Edit icon | PASSED | 0.185 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.515 s |
| | screenshot  | | |
| 5 | And user click on Temp view First Record Edit Icon | PASSED | 2.458 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.360 s |
| | screenshot  | | |
| 6 | And user click on Asset Model Master Tab | PASSED | 2.249 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.370 s |
| | screenshot  | | |
| 7 | And user click on Asset Model Master Add icon | PASSED | 2.195 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.604 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   |  |        |          |
| 8 | And user Enter Characters value in Numeric Fields | PASSED | 0.854 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.200 s |
| 9 | And user click on Asset Model Master Save button | PASSED | 0.203 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.484 s |
| 10 | And user Validate the Message and verify it | PASSED | 0.000 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.224 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details  record in the system by entering invalid data

(F) Check the functionality of Asset Model Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details  record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details  record in the system by entering invalid data

(F) Check the functionality of Asset Model Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details  record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details  record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details  record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details  record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details  record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master