

Cucumber Report

Aug 12, 2022, 8:53:28 AM

Start : Aug 12, 8:53:13.861 AM

End : Aug 12, 8:53:27.240 AM

Duration : 13.379 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 21







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	13.379 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>To verify System allow user to create new Asset collateral categorydetails record</u>	22	0	1	21	13.374 s


(F)- collateral Functionality

FAILED	DURATION - 13.379 s	Scenarios		Steps	
/ 8:53:13.861 AM // 8:53:27.240 AM /		Total - 1		Total - 22	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 21	

(S)- To verify System allow user to create new Asset collateral categorydetails record

<div>FAILED</div> <div>DURATION - 13.374 s</div>			Steps		
/ 8:53:13.866 AM // 8:53:27.240 AM /			Total - 22		
collateral Functionality			Pass - 0		
@collateral_Data222			Fail - 1		
			Skip - 21		

#	Step / Hook Details	Status	Duration
1	<p>Given User launch the kuls application</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad4b7aed24e28a1d7f4aca3f7a8ff67e, get {url=http://10.1.56.122:8680/cob-qc}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\NININDC~1\AppData\Local\Temp\chrome-devtools-remote\chrome-devtools-remote-storage}, goog:chromeOptions: {debuggerAddress: localhost:60201}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60201/devtools/page/1, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ad4b7aed24e28a1d7f4aca3f7a8ff67e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	7.665 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.KULS_Login.user_launch_the_kuls_application(KULS_Login.java:29) at ?.User launch the kuls application(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:28) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.221 s
2	And User Login as maker	SKIPPED	0.000 s
3	Then click on Asset collateral config	SKIPPED	0.001 s
4	Then click on collateral Edit icon	SKIPPED	0.000 s
5	Then open collateral wip record for return	SKIPPED	0.000 s
6	Then click on collateral save button	SKIPPED	0.000 s
7	Then validate Success pop up	SKIPPED	0.000 s
8	Then click on inbox	SKIPPED	0.000 s
9	Then click on search icon of record list	SKIPPED	0.000 s
10	Then search collateral record	SKIPPED	0.000 s
11	And maker user open the record from inbox	SKIPPED	0.001 s
12	Then maker user submit the Record	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s
14	And User Login as Checker	SKIPPED	0.000 s
15	Then click on inbox	SKIPPED	0.000 s
16	Then click on search icon of record list	SKIPPED	0.000 s
17	Then search collateral record	SKIPPED	0.000 s
18	Then checker user open the record from inbox	SKIPPED	0.000 s
19	Then validate Txn status is completed	SKIPPED	0.001 s
20	Then close the collateral view summary	SKIPPED	0.000 s
21	Then checker user return the record	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
22	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify System allow user to create
new Asset collateral categorydetails
record

(F) collateral Functionality



This site can't be reached

10.1.56.122 refused to connect.

- Try:
- Checking the connection
 - [Checking the proxy and the firewall](#)

ERR_CONNECTION_REFUSED

Reload

Details