


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the functionality of Customer Document Details screen | 1 | 0 | 1 | 0 | 36.772 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|---|----|---|---|---|----------|
| 1 | Check the functionality of Customer | Verify system should allow user to do a modification with | 15 | 8 | 1 | 6 | 36.769 s |
| | Document Details screen | valid data | | | | | |

DETAILED SECTION

(F)- Check the functionality of Customer Document Details screen

| FAILED | DURATION - 36.772 s | Scenarios | | Steps | |
|----------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 15 | |
| / 12:16:40.427 | PM // 12:17:17.199 PM / | Pass - 0 | 1 | Pass - 8 | 15 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

(S)- Verify system should allow user to do a modification with valid data




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 8.606 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.353 s |
| | screenshot | | |
| | AZENTIO INT | | |
| 2 | And User Login as maker | PASSED | 3.234 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.246 s |
| | screenshot | | |
| | Example of the second of the s | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------------------------------|----------|
| 3 | Then user should click on the menu toggle in login page | PASSED | 0.194 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.353 s |
| | screenshot | | |
| | AZENTO O SI D SI SIN SIN SIN SIN SIN SIN SIN SIN SIN | | |
| 4 | Then click on inbox to search for the Customer Document Details record | PASSED | 0.978 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.231 s |
| | screenshot | | |
| | Assertion of a 2 st seek seek seek seek seek seek seek s | | |
| 5 | Then click on search button to search the record of Customer Document Details in inbox | PASSED | 0.251 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.238 s |
| | screenshot | 7 | |
| | A CASHATO A CO S B CO S CO S CO S CO S CO S CO S CO | | |
| 6 | Then enter the reference id of the Customer Document Details record | PASSED | 0.083 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.210 s |
| | screenshot | | |
| | A C C C C C C C C C C C C C C C C C C C | | |
| 7 | Then click on the entitle button of the Customer Document Details record of that reference id | PASSED | 0.577 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | screenshot | 7 | |
| | | · · · · · · · · · · · · · · · · · · · | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | ADMITION C C C C C C C C C | | |
| 8 | Then click on the Document Details tab | PASSED | 0.621 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.358 s |
| | screenshot | | |
| | ARRITO D D D D D D D D D D D D D D D D D D D | | |
| 9 | Then verify system should display the mention fields on List view of Customer Documents details | FAILED | 10.133 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //buton[@ng-reflect-text='Add]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerDocumentDetails. verify_system_should_display_the_mention_fields_on_list_view_of_customer_documents_details(CustomerDocumentDetails.java:162) at ?.verify_system should display the mention fields on List view of Customer Documents details(flie://l/C./Users/finindc00091/git/ Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerDocumentDetails.feature:31) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"/button[@ng-reflect-text='Add]"] (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/fmo_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU, ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [722265f6ac96d8c7a2fe377eccda03cb, findElement (using=xpath, value=//button[@ng-reflect-text='Add])] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51} (d537ec02474b5, userDataDir: C:\Users\User | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) | | |
| | at stepdefinitions.CustomerDocumentDetails. | | |
| | verify_system_should_display_the_mention_fields_on_list_view_of_customer_documents_details(CustomerDocumentDetails.java:162) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runlnSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker.invokeTestMethodKortestInvoker.java:240 at org.testng.internal.TestInvoker.invokeTestMethodKortestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethodKortestJetMethodWorker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:596) at org.testng.TestRunner.run(TestRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunner.run(SuiteRunner.java:376) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1121) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1134) at org.testng.TestNG.runSuitesCocally(TestNG.java:1134) at org.testng.TestNG.runSuitesCocally(TestNG.java:1135) at org.testng.TestNG.runFostNG.java:1063) at org.testng.TestNG.runFostNG.java:1063) at org.testng.TestNG.runFostNG.java:1063) at org.testng.TestNG.runFostNG.java:1063) | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.305 s |
| | ACENTO S S S S S S S S S S S S S S S S S S S | - | |
| 10 | Then verify values in List view of Customer Documents details should be non editable | SKIPPED | 0.000 s |
| 11 | Then verify search box should display matching record with matched data of Customer Documents details | SKIPPED | 0.000 s |
| 12 | Then verify search box should not display any record with mismatched data of Customer Documents details | SKIPPED | 0.000 s |
| 13 | Then click on export to excel button system should download Excel file of Customer Documents details | SKIPPED | 0.001 s |
| 14 | Then click on export to pdf button system should download Pdf file of Customer Documents details | SKIPPED | 0.000 s |
| 15 | Then verify the functionality of Add button of Customer Documents details list view screen | SKIPPED | 0.000 s |




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

