Cucumber Report

| Start : Sep 30, 5:39:30.240 pm	End : Sep 30, 5:40:03.621 pm	Duration : 33.381 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	1	0	1	0	33.381 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	verify user is able to add new Template details record in the system by entering invalid data	10	7	1	2	33.372 s

(F)- Check the functionality of Asset Model Master

FAILED	DURATION - 33.381 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 5:39:30.240 pm // 5:40:03.621 pm /		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- verify user is able to add new Template details record in the system by entering invalid data

FAILED	DURATION - 33.372 s		Steps	
/ 5:39:30.249 pm // 5:40:03.621 pm /			Total - 10	
Check the functionality of Asset Model Master			Pass - 7	
			Fail - 1	
@AT_AAM_T017			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.907 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.592 s
2	Then user click on configurations Tab	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.476 s

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
4	And user click on Asset Auto Master Edit icon	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	screenshot		
5	And user click on Temp view First Record Edit Icon	PASSED	0.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.689 s
	screenshot		
6	And user click on Asset Model Master Tab	PASSED	2.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.711 s
	screenshot		
7	And user click on Asset Model Master Add icon	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.997 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user Enter Characters value in Numeric Fields	FAILED	0.323 s

	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "Year" is null
	   at stepdefinitions.Asset_AutoMaster.user_enter_characters_value_in_numeric_fields(Asset_AutoMaster.java:75)
	   at ?.user Enter Characters value in Numeric Fields(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Asset_ModelMaster.feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
9	And user click on Asset Model Master Save button	SKIPPED	0.001 s
10	And user Validate the Message and verify it	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master