

# Cucumber Report

30-Sep-2022, 3:55:59 pm

Start : Sep 30, 3:54:18.641 pm

End : Sep 30, 3:55:52.951 pm

Duration : 1 m 34.310 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 32







#	Feature Name	T	P	F	S	Duration
1	<u>To check the functionalities of sub product retail master</u>	1	0	1	0	1 m 34.310 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the functionalities of sub product retail master</u>	<u>Creation of Sub product retail master with valid data</u>	34	1	1	32	1 m 34.295 s

**(F)- To check the functionalities of sub product retail master**

<b>FAILED</b>	<b>DURATION - 1 m 34.310 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 34 Pass - 1 Fail - 1 Skip - 32	
/ 3:54:18.641 pm // 3:55:52.951 pm /					


**(S)- Creation of Sub product retail master with valid data**

<div>FAILED</div> <div>DURATION - 1 m 34.295 s</div>			<div>Steps</div> <div>Total - 34</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 32</div>	
/ 3:54:18.656 pm // 3:55:52.951 pm /				
To check the functionalities of sub product retail master				
@M1_SubPrdMst_Creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	18.672 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.791 s
	screenshot 		
2	When user click product set up menu org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h4[text()='Product Setup']' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Subproduct_MasterRetail.user_click_product_set_up_menu(Subproduct_MasterRetail.java:56) at ?.user click product set up menu(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_SubProductMaster_Retail.feature:5)	FAILED	1 m 0.616 s

#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/h4[text()='Product Setup']"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c1a43ffc9c2ae3372e0c356d948ed1a, findElement {using=xpath, value=/h4[text()='Product Setup']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54235}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:54235/devtoo..., se.cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0c1a43ffc9c2ae3372e0c356d948ed1a</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)  at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.Subproduct_MasterRetail.user_click_product_set_up_menu(Subproduct_MasterRetail.java:56)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
			
3	And user click list view icon of sub product retail	SKIPPED	0.000 s
4	And user click add icon for create record in sub product retail	SKIPPED	0.000 s
5	And user select Product group under product details and verify fields	SKIPPED	0.000 s
6	And user select Product code under product details and verify fields	SKIPPED	0.000 s
7	And user enter sub product code under sub product definition details and verify fields	SKIPPED	0.000 s
8	And user enter sub product code description under sub product definition details and verify fields	SKIPPED	0.000 s
9	And user select facility type under facility details	SKIPPED	0.000 s
10	And user select individual or corporate under facility details and verify fields	SKIPPED	0.000 s
11	And user select Loan Purpose under facility details and verify fields	SKIPPED	0.000 s
12	And user select Installed Based under facility details and verify fields	SKIPPED	0.001 s
13	And user select continue with existing loan number under facility details and verify fields	SKIPPED	0.000 s
14	And user select financial concept under facility details and verify fields	SKIPPED	0.000 s
15	And user select Disbursement locking under facility details and verify fields	SKIPPED	0.001 s
16	And user select Top Up Allowed under facility details and verify fields	SKIPPED	0.000 s
17	And user select collateralized under Asset Financed details and verify fields	SKIPPED	0.001 s
18	And user select finance against existing Asset under Asset Financed details and verify fields	SKIPPED	0.000 s
19	And user select is multiple Asset Finance is allowed under Asset Financed details and verify fields	SKIPPED	0.001 s
20	And user select impact on under Floating Rate details and verify fields	SKIPPED	0.000 s
21	And user select Reset Logic under Floating Rate details and verify fields	SKIPPED	0.000 s
22	And user select Floating rate Effective date under Floating Rate details and verify fields	SKIPPED	0.000 s
23	And user select Floating Rate Effective Frequency under Floating Rate details and verify fields	SKIPPED	0.000 s
24	And user enter EMI CAP percentage under Floating Rate details and verify fields	SKIPPED	0.000 s
25	And user enter tenor tolerance in months under Floating Rate details and verify fields	SKIPPED	0.000 s
26	And user enter legacy code 1 under Legacy Codes details and verify fields	SKIPPED	0.000 s
27	And user enter legacy code 2 under Legacy Codes details and verify fields	SKIPPED	0.000 s
28	And user enter dm code under Legacy Codes details and verify fields	SKIPPED	0.000 s
29	And user enetr Allocation sequence number under Legacy Codes details and verify fields	SKIPPED	0.000 s
30	And user verify and save the Record with Valid data	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
31	And user goto the Maker Inbox	SKIPPED	0.001 s
32	Then user store the Referance Id in Maker stage and Click on Action Icon	SKIPPED	0.001 s
33	And user click Back button icon and Click on Action Icon	SKIPPED	0.000 s
34	And user verify the submit button and submit from Maker stage	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Sub product retail master  
with valid data

(F) To check the functionalities of sub  
product retail master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Sub product retail master  
with valid data

(F) To check the functionalities of sub  
product retail master

