Cucumber Report

Jul 19, 2022, 11:44:45 PM

Start : Jul 19, 11:44:24.452 PM	End : Jul 19, 11:44:44.572 PM	Duration : 20.120 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	20.120 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	8	5	1	2	20.117 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 20.120 s	Scenarios		Steps	
/ 11:44:24.452 PM // 11:44:44.572 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 8 Pass - 5 Fail - 1 Skip - 2	

(S)- Product Master Retail Field validation

FAILED	DURATION - 20.117 s		Steps	
/ 11:44:24.455 PM // 11:44:44.572 PM /			Total - 8 Pass - 5 Fail - 1 Skip - 2	
Product Master Retail Functionality				
@ProductMaster_Retail				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.482 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	5.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
6	Then click on Product Master back button	FAILED	1.212 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-bbt-c735="" pbutton="" type="button" icon="pi pi-arrow-left" iconpos="left" tooltipposition="top" class="p-element p-button-secondary p-button-sm p-button-raised w-70 cmnbtn p-button p-component p-button-icon-only" ng-reflect-icon="pi pi-arrow-left" ng-reflect-icon-pos="left" ng-reflect-tooltip-position="top" ng-reflect-text="Go Back">...</button> is not clickable at point (312, 143). Other element would receive the click: ... (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host:		

#	Step / Hook Details	Status	Duration
	'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3eafcca88de1ce23e2b1ef22409b3ae, clickElement {id=54980bee-2b66-46c4-963c-9738a3cd0685}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51760}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51760/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d3eafcca88de1ce23e2b1ef22409b3ae)] -> xpath: //button[@ng-reflect-text='Go Back']] Session ID: d3eafcca88de1ce23e2b1ef22409b3ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_product_master_back_button(ProductMaster_Retail.java:50) at ?.click on Product Master back button(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.085 s

#	Step / Hook Details	Status	Duration
7	Then click on Product Master add button	SKIPPED	0.000 s
8	Then verify all the fields are available on the screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Product Master Retail Field validation	
(F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Product Master Retail Field validation	
(F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master Retail Field validation	
(F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master Retail Field validation	
(F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality