Cucumber Report

| **Start : Jul 22, 1:20:50.878 AM**	**End : Jul 22, 1:21:17.794 AM**	**Duration : 26.916 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	26.916 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - to check the functionality of status(active/deactive) and back button	8	4	1	3	26.907 s

(F)- Check the functionality of product master

FAILED	DURATION - 26.916 s	Scenarios		Steps	
/ 1:20:50.878 AM // 1:21:17.794 AM /		Total - 1		Total - 8	
		Pass - 0	1	Pass - 4	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Product Master - to check the functionality of status(active/deactive) and back button

FAILED	DURATION - 26.907 s		Steps	
/ 1:20:50.887 AM // 1:21:17.794 AM /			Total - 8	
Check the functionality of product master			Pass - 4	8
			Fail - 1	
@M9			Skip - 3	

| #	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.764 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
2	And User Login as maker	PASSED	5.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user should navigate to product master	PASSED	0.625 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
4	And click on edit view of product master	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		
5	Then verify the functionality of status of the record	FAILED	4.862 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (1249, 548). Other element would receive the click: <div class="p-paginator-bottom p-paginator p-component ng-star-inserted" ng-reflect-ng-class="p-paginator p-component">...</div> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [88d3a32e919b6065c1ca971baa2ade4f, clickElement {id=5721b67a-dedc-402f-b948-bc2b8c0753eb}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61774}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61774/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (88d3a32e919b6065c1ca971baa2ade4f)] -> xpath: //kub-prime-table[1]/p-table[1]/div[1]/p-paginator[1]/div[1]/button[3]/span[1]] Session ID: 88d3a32e919b6065c1ca971baa2ade4f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_the_functionality_of_status_of_the_record(ProductMaster_Retail.java:393) at ?.verify the functionality of status of the record(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:80) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot 		
6	Then verify user can able to change the status from active to deactive	SKIPPED	0.000 s
7	Then verify user can able to change the status from deactive to active	SKIPPED	0.000 s
8	Then verify the functionality of back button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of status(active/deactive) and back button

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of status(active/deactive) and back button

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of status(active/deactive) and back button

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of status(active/deactive) and back button

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of status(active/deactive) and
back button

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English LOS Azentio Software

Puneet
01-Sep-2023

Product Master

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
✏ 👁	98303249	LENDING1	PRD Lending	R	In-active	
✏ 👁	98303249	123	123	C	In-active	
✏ 👁	98303277	5261	12345	R	In-active	
✏ 👁	98303249	741	Product Tested	C	In-active	

Showing 121 to 124 of 124 entries « ‹ 21 22 23 24 25 › » 5