

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	1	0	0	35.621 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation	To verify the when user keep any mandatory field blank and	8	8	0	0	35.615 s
	Masater	invalid the system should not allow to save the record					

DETAILED SECTION -- 4 --

(F)- Check the functionality of the Allocation Masater

PASSED	DURATION - 35.621 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 3:08:21.144 pm	// 3:08:56.765 pm /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- To verify the when user keep any mandatory field blank and invalid the system should not allow to save the record


PASSED DURATION - 35.615 s	15 -	 	-1							Steps		
/ 3:08:21.150 pm // 3:08:56.765 pm /	10 -	 	!							Total - 8		
Check the functionality of the Allocation Masater	5 -	 								Pass - 8 Fail - 0	8	
@Allocation Master M5	- 0	 L	<u> </u>					_ 🗖		Skip - 0		'
@/ illocation_master_mo		1	2	3	4	5	6	7	8			

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	16.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.716 s
	screenshot		
	AZENTO ### 200 200 200 \$\frac{1}{2}\$ ### 200 200 200 200 \$\frac{1}{2}\$ ### 200 200 200 200 200 200 200 200 200		
2	Then user click on configurations Tab	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		


#	Step / Hook Details	Status	Duration
	ARENTO # 50 00 00 00 00 00 00 00 00 00 00 00 00		
3	When user click Config Manager menu	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
	ADENTO # 10 20 20 20 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
4	And Click the eye icon of the alloction master	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.074 s
	screenshot		
	ARMYO		
5	Then Click the add button in the allocation master	PASSED	0.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.754 s
	screenshot	-	
	Authors		
6	Then Save the record in allocation master	PASSED	0.604 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# 1 00 00 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
7	And keep the mandatory field as blank and save the record and validate it in allocation master	PASSED	2.473 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
	A TABLE TO SECURITY OF THE PROPERTY OF THE PRO		
8	Then Validate the save button by filling invalid data	PASSED	0.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	CENTION OF MAN AND AND AND AND AND AND AND AND AND A		





EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

