

# Cucumber Report

7 Sep 2023, 5:25:04 PM

Start : Sep 07, 5:24:48.224 PM

End : Sep 07, 5:25:02.480 PM

Duration : 14.256 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Cards in omni	1	0	1	0	14.256 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of Cards in omni	check if the system Validate Activity log for non beneficiary internal Transfer - Retail_MB	2	0	0	2	14.249 s

**(F)- Testing the functionalities of Cards in omni**

<b>FAILED</b>	<b>DURATION - 14.256 s</b>	Scenarios		Steps	
/ 5:24:48.224 PM // 5:25:02.480 PM /		Total - 1		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 2	

**(S)- check if the system Validate Activity log for non beneficiary internal Transfer - Retail \_MB**

<div>FAILED</div> <div>DURATION - 14.249 s</div>			Steps	
/ 5:24:48.231 PM // 5:25:02.480 PM /			Total - 2	
Testing the functionalities of Cards in omni			Pass - 0	
@ALR_002			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: uniqueContextId not found (Session info: chrome=116.0.5845.142) Host info: host: 'DESKTOP-PSK9T3Z', ip: '10.81.234.15' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72)	<b>FAILED</b>	14.199 s

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42)		
1	And user_5679 loads the test datasetup for the test case id ALR_002	SKIPPED	0.001 s
2	Given user_5679 navigates to the omni_corporate_web_portal	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:66)		