
Duration: 17.453 s Start : Sep 06, 6:24:21.625 PM End: Sep 06, 6:24:39.078 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 8 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Activity History	1	0	1	0	17.453 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity History	add the operation "session activity history" to business	8	0	0	8	17.448 s
		profile and login with agent user					

DETAILED SECTION --- 4 -

(F)- Activity History

FAILED	DURATION - 17.453 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 6:24:21.625 PN	M // 6:24:39.078 PM /	Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 8	

(S)- add the operation "session activity history" to business profile and login with agent user

FAILED DURATION - 17.448 s	0.15									Steps	
/ 6:24:21.630 PM // 6:24:39.078 PM /	0.1									Total - 8	
Activity History	.05									Pass - 0	8
Activity History										Skip - 8	
@AH_008	0	1	2	3	4	5	6	7	8		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	17.352 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: uniqueContextld not found (Session info: chrome=116.0.5845.141) Host info: host: 'DESKTOP-PSK9T3B', ip: '10.81.234.5' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:163) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)	FAILED	17.352 s
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)</init></init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:188)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:72)</init>		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:31)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42)		
1	And User_609 loads the test datasetup for the test case id AH_007	SKIPPED	0.004 s
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	SKIPPED	0.001 s
3	And User_609 Click on the Parameters menu	SKIPPED	0.001 s
4	And User_609 Click on the User Management submenu	SKIPPED	0.000 s
5	And User_609 Click on the Customer screen under Parameters	SKIPPED	0.002 s
6	And User_609 Select the Application as Corporate in Customer under Parameters	SKIPPED	0.001 s
7	And User_609 Enter the Customer Name in Customer under Parameters	SKIPPED	0.000 s
8	And User_609 Select the Cif in Customer under Parameters	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:66)		