Cucumber Report

Start : Sep 06, 6:14:14.665 PM	End : Sep 06, 6:14:31.313 PM	Duration : 16.648 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 8

Features: 1

Scenarios: 1

Steps: 8

Pass %

#	Feature Name	T	P	F	S	Duration
1	*Activity History*	1	0	1	0	16.648 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity History	add the operation "session activity history" to business profile and login with agent user	8	0	0	8	16.635 s

(F)- Activity History

FAILED	DURATION - 16.648 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	8
/ 6:14:14.665 PM // 6:14:31.313 PM /					

(S)- add the operation "session activity history" to business profile and login with agent user

FAILED	DURATION - 16.635 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	8
/ 6:14:14.678 PM // 6:14:31.313 PM /				
Activity History				
@AH_008				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	16.499 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: loader has changed while resolving nodes (Session info: chrome=116.0.5845.141) Host info: host: 'DESKTOP-PSK9T3B', ip: '10.81.234.5' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72)		

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42)		
1	And User_609 loads the test datasetup for the test case id AH_007	SKIPPED	0.001 s
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	SKIPPED	0.006 s
3	And User_609 Click on the Parameters menu	SKIPPED	0.003 s
4	And User_609 Click on the User Management submenu	SKIPPED	0.002 s
5	And User_609 Click on the Customer screen under Parameters	SKIPPED	0.010 s
6	And User_609 Select the Application as Corporate in Customer under Parameters	SKIPPED	0.000 s
7	And User_609 Enter the Customer Name in Customer under Parameters	SKIPPED	0.002 s
8	And User_609 Select the Cif in Customer under Parameters	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:66)	FAILED	0.002 s