

Cucumber Report

31 Aug 2023, 5:42:26 PM

Start : Aug 31, 5:41:14.704 PM

End : Aug 31, 5:42:21.128 PM

Duration : 1 m 6.424 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 15

FAILED - 0

SKIPPED - 0







| # | Feature Name | T | P | F | S | Duration |
|---|------------------|---|---|---|---|-------------|
| 1 | Activity History | 1 | 1 | 0 | 0 | 1 m 6.424 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------|---|----|----|---|---|-------------|
| 1 | Activity History | check if the system Retrieve "BVN " input on local beneficiary screen | 15 | 15 | 0 | 0 | 1 m 6.413 s |





(F)- Activity History

| | | | | | |
|--------------------------------------|-------------------------------|-----------|---|------------|---|
| PASSED | DURATION - 1 m 6.424 s | Scenarios |  | Steps |  |
| / 5:41:14.704 PM // 5:42:21.128 PM / | | Total - 1 | 1 | Total - 15 | 15 |
| | | Pass - 1 | | Pass - 15 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- check if the system Retrieve "BVN " input on local beneficiary screen

| | | | | |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 1 m 6.413 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 15</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:41:14.715 PM // 5:42:21.128 PM /</div> | | | | |
| <div>Activity History</div> | | | | |
| <div>@AH_002</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | And User_609 loads the test datasetup for the test case id AH_002 | PASSED | 0.005 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.339 s |
| | screenshot | | |
| |  | | |
| 2 | Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials | PASSED | 19.190 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.386 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And User_609 Click on the Parameters menu | PASSED | 0.108 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.281 s |
| | screenshot | | |
| |  | | |
| 4 | And User_609 Click on the Profile Management submenu | PASSED | 0.191 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.336 s |
| | screenshot | | |
| |  | | |
| 5 | And User_609 Click on the Business Profile screen under Parameters | PASSED | 5.175 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.312 s |
| | screenshot | | |
| |  | | |
| 6 | And User_609 Enter the Profile Name in Business Profile under Parameters | PASSED | 0.369 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.310 s |
| | screenshot | | |
| |  | | |
| 7 | And User_609 Enter the Brief Description in Business Profile under Parameters | PASSED | 0.218 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.312 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  + | | |
| 8 | And User_609 Select the Application in Business Profile under Parameters | PASSED | 0.423 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.927 s |
| | screenshot | | |
| |  + | | |
| 9 | And User_609 Click on Root in Business Profile under Parameters | PASSED | 0.328 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.469 s |
| | screenshot | | |
| |  + | | |
| 10 | And User_609 Click on Retail in Business Profile under Parameters | PASSED | 0.393 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.477 s |
| | screenshot | | |
| |  + | | |
| 11 | And User_609 Enable the Session Activity History flag in Business Profile under Parameters | PASSED | 0.668 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.360 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 12 | And User_609 Click the Save Button in Business Profile under Parameters | PASSED | 2.467 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.514 s |
| | screenshot | | |
| |  | | |
| 13 | And User_609 Click the Search Button in Business Profile under Parameters | PASSED | 0.175 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.424 s |
| | screenshot | | |
| |  | | |
| 14 | And User_609 Enter the Business Profile input in Business Profile under Parameters | PASSED | 3.435 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.327 s |
| | screenshot | | |
| |  | | |
| 15 | And User_609 Click the Approve Button in Business Profile under Parameters | PASSED | 9.536 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.367 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <div>A screenshot of a software interface, likely a configuration or settings page. It features a sidebar on the left with a tree view, a main content area with various input fields and buttons, and a status bar at the bottom. A red plus icon is positioned to the right of the screenshot.</div> | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

AZENTIO

User : VIMAL 31 August 2023
Company : SPM

Inbox | Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language

Menu Options

- Parameters
- Process
- Reports

Copyright©2023 Azentio @All Rights Reserved AML Omni Channel Admin 3.4.0.0 Build 2590 Powered By AZENTIO

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

AZENTIO

User : VIMAL 31 August 2023
Company : SPM

Inbox | Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language

Menu Options

- Parameters
- Settings
- Profile Management
- User Management
- OTP Report
- Channels and Services Settings
- Authentication Matrix
- ATH & Branches
- Limits Management
- Integration Settings
- Multi-Approve

Process

Reports

Copyright©2023 Azentio @All Rights Reserved AML Omni Channel Admin 3.4.0.0 Build 2590 Powered By AZENTIO

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

Menu Options

- Parameters
- Settings
- Profile Management
- Business Profile
- Sub Profile
- User Management
- OTP Report
- Channels and Services Settings
- Authentication Matrix
- ATH & Branches
- Limits Management
- Integration Settings
- Multi-Approve
- Process
- Reports

Parameters / Profile Management / Business Profile

OAD10040

Code: [Input Field] Status: **New**

Business Profile

Profile Name * [Input Field] Language: [Dropdown]

Brief Description * [Input Field] Language: [Dropdown]

Allowed Features

Applications * [Dropdown]

Allowed System Features

Loading ...

Limits

| Code | Description | Selected | Application | Actions |
|--------------------|-------------|----------|-------------|---------|
| No records to view | | | | |

Criteria

Criteria [Dropdown]

Registration Charges

Registration Charges [Input Field] [Input Field]

Save

Copyright©2023 Azentio @All Rights Reserved AML Omni Channel Admin 3.4.0.0 Build 2598 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

Menu Options

- Parameters
- Settings
- Profile Management
- Business Profile
- Sub Profile
- User Management
- OTP Report
- Channels and Services Settings
- Authentication Matrix
- ATH & Branches
- Limits Management
- Integration Settings
- Multi-Approve
- Process
- Reports

Parameters / Profile Management / Business Profile

OAD10040

Code: [Input Field] Status: **New**

Business Profile

Profile Name * [Input Field] Language: [Dropdown]

Brief Description * [Input Field] Language: [Dropdown]

Allowed Features

Applications * [Dropdown]

Allowed System Features

L [Input Field] Root

Limits

| Code | Description | Selected | Application | Actions |
|--------------------|-------------|----------|-------------|---------|
| No records to view | | | | |

Criteria

Criteria [Dropdown]

Registration Charges

Registration Charges [Input Field] [Input Field]

Save

Copyright©2023 Azentio @All Rights Reserved AML Omni Channel Admin 3.4.0.0 Build 2598 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' tree with 'Parameters / Profile Management / Business Profile' selected. The main content area is titled 'Parameters / Profile Management / Business Profile' and shows a form for configuring a business profile. The form includes fields for 'Profile Name' (RetailTest001), 'Brief Description' (RetailTest), 'Allowed Features' (Applications), 'Limits' (a table with columns Code, Description, Selected, Application, and Actions), 'Criteria' (Criteria), and 'Registration Charges' (Registration Charges). The 'Limits' table is empty, showing 'No records to view'. The 'Criteria' section shows 'Criteria' with a dropdown menu. The 'Registration Charges' section shows 'Registration Charges' with a dropdown menu. The bottom of the page shows 'Copyright©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' tree with 'Parameters / Profile Management / Business Profile' selected. The main content area is titled 'Parameters / Profile Management / Business Profile' and shows a form for configuring a business profile. The form includes fields for 'Profile Name' (RetailTest001), 'Brief Description' (RetailTest), 'Allowed Features' (Applications), 'Limits' (a table with columns Code, Description, Selected, Application, and Actions), 'Criteria' (Criteria), and 'Registration Charges' (Registration Charges). The 'Limits' table is empty, showing 'No records to view'. The 'Criteria' section shows 'Criteria' with a dropdown menu. The 'Registration Charges' section shows 'Registration Charges' with a dropdown menu. The bottom of the page shows 'Copyright©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

The screenshot shows the 'Business Profile' configuration page in the AZENTIO system. The page includes a sidebar with navigation options like Settings, Profile Management, Business Profile, Sub Profile, User Management, OTP Report, Channels and Services Settings, Authentication Matrix, ATH & Branches, Limits Management, Integration Settings, Multi-Approve, Process, and Reports. The main content area shows the 'Business Profile' configuration for 'OADM10040'. It includes fields for 'Profile Name' (RetailTest888), 'Brief Description' (RetailTest), and 'Allowed Features' (Retail). A table lists limits for various applications, including 'Daily Global Limit' and 'Limit01'. The page also includes a 'Criteria' section and a 'Registration Changes' section.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen


(F) Activity History

The screenshot shows the 'Business Profile' configuration page in the AZENTIO system. The page includes a sidebar with navigation options like Settings, Profile Management, Business Profile, Sub Profile, User Management, OTP Report, Channels and Services Settings, Authentication Matrix, ATH & Branches, Limits Management, Integration Settings, Multi-Approve, Process, and Reports. The main content area shows the 'Business Profile' configuration for 'OADM10040'. It includes fields for 'Profile Name' (RetailTest888), 'Brief Description' (RetailTest), and 'Allowed Features' (Retail). A table lists limits for various applications, including 'Daily Global Limit' and 'Limit01'. The page also includes a 'Criteria' section and a 'Registration Changes' section.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen


(F) Activity History



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen


(F) Activity History



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen


(F) Activity History



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check if the system Retrieve "BVN "
input on local beneficiary screen

(F) Activity History

The screenshot displays the AZENTIO system interface. The top navigation bar shows the user is 'VIMAL' from 'Company - SIPM' on '31 August 2023'. The sidebar menu includes options like 'Parameters', 'Settings', 'Profile Management', 'Business Profile', 'Sub Profile', 'User Management', 'OTP Report', 'Channels and Services Settings', 'Authentication Matrix', 'ATH & Branches', 'Limits Management', 'Integration Settings', 'Multi-Approve', 'Process', and 'Reports'. The main content area is titled 'Parameters / Profile Management / Business Profile' and shows a form for 'OADM10040'. The form includes fields for 'Code', 'Profile Name', 'Brief Description', 'Language', 'Allowed Features', 'Applications', 'Allowed System Features', 'Limits', 'Criteria', 'Registration Charges', and 'Save'. An 'INFORMATION' dialog box is open in the center, displaying the message 'Record was Approved Successfully' and an 'Ok' button. The footer of the interface contains the text 'Copyright©2023 Azentio BAH Rights Reserved' and 'Powered By'.