

Cucumber Report

21-Aug-2023, 4:47:35 pm

Start : Aug 21, 4:47:27.684 pm

End : Aug 21, 4:47:34.247 pm

Duration : 6.563 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 20







#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Account Transfer	1	0	1	0	6.563 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing the functionalities of Account Transfer</u>	<u>Submit Transfer to Other Bank - scheduled with corporate user and one approval is required</u>	20	0	0	20	6.546 s

(F)- Testing the functionalities of Account Transfer

FAILED	DURATION - 6.563 s	Scenarios		Steps	
/ 4:47:27.684 pm // 4:47:34.247 pm /		Total - 1		Total - 20	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 20	

(S)- Submit Transfer to Other Bank - scheduled with corporate user and one approval is required

<div>FAILED</div> <div>DURATION - 6.546 s</div>			Steps	
/ 4:47:27.701 pm // 4:47:34.247 pm /			Total - 20	
Testing the functionalities of Account Transfer			Pass - 0	
@AT_20_01			Fail - 0	
			Skip - 20	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'PSK9T3U-DESKTOP', ip: '10.200.10.44' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42) Caused by: java.lang.NoSuchMethodError: 'java.util.stream.Collectors com.google.common.collect.ImmutableSortedSet.toImmutableSortedSet(java.util.Comparator)' at org.openqa.selenium.remote.NewSessionPayload.lambda\$validate\$3(NewSessionPayload.java:154) at java.base/java.util.stream.ReferencePipeline\$15\$1.accept(ReferencePipeline.java:540)	FAILED	6.471 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.ReferencePipeline\$15\$1.accept(ReferencePipeline.java:541) at java.base/java.util.AbstractList\$RandomAccessSpliterator.forEachRemaining(AbstractList.java:720) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.remote.NewSessionPayload.validate(NewSessionPayload.java:169) at org.openqa.selenium.remote.NewSessionPayload.<init>(NewSessionPayload.java:93) at org.openqa.selenium.remote.NewSessionPayload.create(NewSessionPayload.java:114) at org.openqa.selenium.remote.NewSessionPayload.create(NewSessionPayload.java:109) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:66) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	And user loads the test datasetup for the test case id AT_020	SKIPPED	0.001 s
2	Given user navigates to the omni_corporate_web_portal	SKIPPED	0.000 s
3	And user enters the maker username1 in the login page for omni_corporate_web_portal	SKIPPED	0.000 s
4	And user enters the maker password1 in the login page for omni_corporate_web_portal	SKIPPED	0.001 s
5	And user click on the loggin button in the login page for omni_corporate_web_portal	SKIPPED	0.001 s
6	And user click on the force logout btn in the login page for omni_corporate_web_portal	SKIPPED	0.001 s
7	And user click on the ok button for the successful login page for omni_corporate_web_portal	SKIPPED	0.000 s
8	And user click on the AMANA payment screen in the homepage	SKIPPED	0.000 s
9	And user_072 click scheduled transfer under AMANA payment screen	SKIPPED	0.000 s
10	And user_072 click scheduled other bank transfer under the AMANA payment screen	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	And user_072 select from account under scheduled other bank transfer	SKIPPED	0.001 s
12	And user_072 select beneficiary under scheduled other bank transfer	SKIPPED	0.000 s
13	And user_072 enter transfer amount under scheduled other bank transfer	SKIPPED	0.000 s
14	And user_072 enter purpose of transfer under scheduled other bank transfer	SKIPPED	0.000 s
15	And user_072 click next button under scheduled other bank transfer	SKIPPED	0.000 s
16	And user_072 select periodicity under scheduled other bank transfer	SKIPPED	0.000 s
17	And user_072 enter number of payments under scheduled other bank transfer	SKIPPED	0.002 s
18	And user_072 click next button under scheduled other bank transfer	SKIPPED	0.000 s
19	And user_072 click submit button under scheduled other bank transfer	SKIPPED	0.000 s
20	And user_072 click ok button for request submitted successfully or request time	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.017 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:66)		