

Cucumber Report

7 Sep 2023, 3:52:32 PM

Start : Sep 07, 3:52:12.761 PM

End : Sep 07, 3:52:29.339 PM

Duration : 16.578 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	Activity History	1	0	1	0	16.578 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity History	add the operation "session activity history" to business profile and login with agent user	6	0	0	6	16.571 s

(F)- Activity History

FAILED	DURATION - 16.578 s	Scenarios		Steps	
/ 3:52:12.761 PM // 3:52:29.339 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	

(S)- add the operation "session activity history" to business profile and login with agent user

<div>FAILED</div> <div>DURATION - 16.571 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:52:12.768 PM // 3:52:29.339 PM /</div>				
<div>Activity History</div>				
<div>@AH_008</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: loader has changed while resolving nodes (Session info: chrome=116.0.5845.141) Host info: host: 'DESKTOP-PSK9T3B', ip: '10.81.234.4' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72)	FAILED	16.493 s

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42)		
1	And User_609 loads the test datasetup for the test case id AH_007	SKIPPED	0.001 s
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	SKIPPED	0.009 s
3	And User_609 Click on the Parameters menu	SKIPPED	0.001 s
4	And User_609 Click on the User Management submenu	SKIPPED	0.000 s
5	And User_609 Click on the Customer screen under Parameters	SKIPPED	0.000 s
6	And User_609 Select the Cif in Customer under Parameters	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:66)		