Cucumber Report

Start : Sep 06, 2:41:34.542 PM	End : Sep 06, 2:45:20.450 PM	Duration : 3 m 45.908 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 21 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 23

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 91 %

#	Feature Name	T	P	F	S	Duration
1	*Activity History*	1	0	1	0	3 m 45.908 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Activity History*	*add the operation "session activity history" to business profile and login with corporate user*	*23*	*21*	*1*	*1*	*3 m 45.900 s*

(F)- Activity History

FAILED	DURATION - 3 m 45.908 s	Scenarios		Steps	
	/ 2:41:34.542 PM // 2:45:20.450 PM /	Total - 1	1	Total - 23	23
		Pass - 0		Pass - 21	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## **(S)- add the operation "session activity history" to business profile and login with corporate user**

FAILED	DURATION - 3 m 45.900 s		Steps	
	/ 2:41:34.550 PM // 2:45:20.450 PM /		Total - 23	23
	Activity History		Pass - 21	
	@AH_006		Fail - 1	
			Skip - 1	

| #	Step / Hook Details	Status	Duration
1	And User_609 loads the test datasetup for the test case id AH_006	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
	+		
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	PASSED	16.926 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User_609 Click on the Parameters menu	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	+		
4	And User_609 Click on the Profile Management submenu	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	+		
5	And User_609 Click on the Business Profile screen under Parameters	PASSED	5.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.110 s
	screenshot		
	+		
6	And User_609 Enter the Profile Name in Business Profile under Parameters	PASSED	0.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		
	+		
7	And User_609 Enter the Brief Description in Business Profile under Parameters	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		

| #	Step / Hook Details	Status	Duration
	+		
8	And User_609 Select the Application in Business Profile under Parameters	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.591 s
	screenshot +		
9	And User_609 Click on Root in Business Profile under Parameters	PASSED	2.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot +		
10	And User_609 Click on Corporate in Business Profile under Parameters	PASSED	0.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
	screenshot +		
11	And User_609 Enable the Session Activity History flag in Business Profile under Parameters	PASSED	0.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
12	And User_609 Click the Save Button in Business Profile under Parameters	PASSED	2.588 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot +		
13	And User_609 Click the Search Button in Business Profile under Parameters	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot +		
14	And User_609 Enter the Business Profile input in Business Profile under Parameters	PASSED	6.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot +		
15	And User_609 Click the Approve Button in Business Profile under Parameters	PASSED	3.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.603 s
	screenshot		

| #	Step / Hook Details	Status	Duration
16	And User_609 Click on the Sub Profile screen under Parameters	PASSED	0.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
17	And User_609 Enter the SubProfile Name in Sub Profile under Parameters	PASSED	2.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
18	And User_609 Enter the Brief Description in Sub Profile under Parameters	PASSED	0.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot		
19	And User_609 Select the Business Profile in Sub Profile under Parameters	PASSED	0.620 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
20	And User_609 Click the Save Button in Sub Profile under Parameters	PASSED	51.902 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.484 s
	screenshot		
	+		
21	And User_609 Click the Search Button in Sub Profile under Parameters	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
	+		
22	And User_609 Enter the Sub Profile input in Sub Profile under Parameters	FAILED	1 m 44.478 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //table[@id='businessProfilesListGridTbl_Id_OADM10040']//td[text()='CorporateTest_SubProfile736'] (tried for 100 second(s) with 1000 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at utilities.UserUtility_614.waitHelperClick(UserUtility_614.java:61) at utilities.UserUtility_614.doubleClickOnElement(UserUtility_614.java:180) at stepdefinitions. ActivityHistory_609.User_609_Enter_the_Sub_Profile_input_in_Sub_Profile_under_Parameters(ActivityHistory_609.java:306) at ?.User_609 Enter the Sub Profile input in Sub Profile under Parameters(file:///C:/Users/inindc00609/eclipse-workspace/ Azentio_DigitalBanking_Vijay/src/test/java/Features/ActivityHistory_609.feature:151) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		

#	Step / Hook Details	Status	Duration
23	And User_609 Click the Approve Button in Sub Profile under Parameters	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) add the operation "session activity history" to business profile and login with corporate user

(F) Activity History

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) add the operation "session activity history" to business profile and login with corporate user

(F) Activity History

AZENTIO

User   : VIMAL   06 September 2023
Company : BPM.

Inbox | Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language

Menu Options
▶ Parameters
▶ Process
▶ Reports

Copyright©2023 Azentio ®All Rights Reserved   iMAL Omni Channel Admin 3.4.0.0 Build 2602   Powered By AZENTIO

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) add the operation "session activity history" to business profile and login with corporate user	
(F) Activity History	