

# Cucumber Report

6 Sep 2023, 12:36:22 PM

Start : Sep 06, 12:36:10.014 PM

End : Sep 06, 12:36:19.336 PM

Duration : 9.322 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	Activity History	1	0	1	0	9.322 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity History	check if the system Retrieve "BVN " input on local beneficiary screen	11	0	0	11	9.315 s

**(F)- Activity History**

<b>FAILED</b>	<b>DURATION - 9.322 s</b>	Scenarios		Steps	
/ 12:36:10.014 PM // 12:36:19.336 PM /		Total - 1	1	Total - 11	11
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 11	

**(S)- check if the system Retrieve "BVN " input on local beneficiary screen**

<div>FAILED</div> <div>DURATION - 9.315 s</div>			Steps	<div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 11</div>	
/ 12:36:10.021 PM // 12:36:19.336 PM /					
Activity History					
@AH_002					

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	<b>FAILED</b>	9.236 s
	java.lang.IndexOutOfBoundsException: Index 1 out of bounds for length 0 at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:64) at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckIndex(Preconditions.java:70) at java.base/jdk.internal.util.Preconditions.checkIndex(Preconditions.java:266) at java.base/java.util.Objects.checkIndex(Objects.java:361) at java.base/java.util.ArrayList.get(ArrayList.java:427) at dataProvider.DataFromGoogleSheet.<init>(DataFromGoogleSheet.java:116) at dataProvider.DataReader.<init>(DataReader.java:17) at resources.BaseClass.initializeDriver(BaseClass.java:21) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:42)		
1	And User_609 loads the test datasetup for the test case id AH_002	SKIPPED	0.003 s
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	SKIPPED	0.004 s
3	And User_609 Click on the Parameters menu	SKIPPED	0.001 s
4	And User_609 Click on the Profile Management submenu	SKIPPED	0.000 s
5	And User_609 Click on the Business Profile screen under Parameters	SKIPPED	0.000 s
6	And User_609 Enter the Profile Name in Business Profile under Parameters	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And User_609 Enter the Brief Description in Business Profile under Parameters	SKIPPED	0.001 s
8	And User_609 Select the Application in Business Profile under Parameters	SKIPPED	0.000 s
9	And User_609 Click on Root in Business Profile under Parameters	SKIPPED	0.001 s
10	And User_609 Click on Retail in Business Profile under Parameters	SKIPPED	0.001 s
11	And User_609 Check the Session Activity History is Displaying in Business Profile under Parameters	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:66)		