


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Activity History	1	0	1	0	3 m 28.657 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity History	add the operation "session activity history" to business	23	21	1	1	3 m 28.648 s
		profile and login with corporate user					

## (F)- Activity History

FAILED	DURATION - 3 m 28.657 s	Scenarios		Steps	41
		Total - 1		Total - 23	
/ 2:28:04.442	PM // 2:31:33.099 PM /	Pass - 0	1	Pass - 21	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- add the operation "session activity history" to business profile and login with corporate user

FAILED	DURATION - 3 m 28.648 s																	Steps			
/ 2:28:04 451	1 PM // 2:31:33.099 PM /	15 -	1 :	-	-	! -		-!	- + -	-!		-	-1 -	- + -	-1-	+-	-	Total - 23			
7 2.20.04.401	17 W// 2.01.00.000 F W/	10 -	;	-		j -			- <del> </del> -							<u> </u>		Pass - 21		23	
Activity Histor	У	5 -	1	-					-		<u> </u>					ł		Fail - 1			,
@AH_006		0 -			-			<u> </u>	<del>-</del>	<u>+</u>	<u> </u>	<del>-</del>	÷	<u> </u>	<del>-</del>	<u>.</u>		Skip - 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
- <u>-</u>			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	And User_609 loads the test datasetup for the test case id AH_006	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
	+	1	
	Civer Hear COO particulate to the Openi Course Admire Hell and leave with the valid and entire	DACCED	10 107 -
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	PASSED	18.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
	——————————————————————————————————————		

#	Step / Hook Details	Status	Duration
3 And	User_609 Click on the Parameters menu	PASSED	0.101 s
AFT	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
scree	enshot		
LEGINTSS University of the second of the sec	10 to 2 to 10 to 1	1	
4 And	User_609 Click on the Profile Management submenu	PASSED	1.128 s
-	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	enshot	1	
Mented		†	
Comment  Consequence  Consequen			
5 And	User 609 Click on the Business Profile screen under Parameters	PASSED	5.186 s
	ER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.318 s
	enshot	PASSED	1.310 3
Scree		-	
Annual An			
	User_609 Enter the Profile Name in Business Profile under Parameters	PASSED	0.422 s
	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
scree	enshot		
INTERPLET			
Filtrage Control Contr			
7 And	User_609 Enter the Brief Description in Business Profile under Parameters	PASSED	0.219 s
AFT	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
scree	enshot	]	

#	Step / Hook Details	Status	Duration
8	And User_609 Select the Application in Business Profile under Parameters	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
9	And User_609 Click on Root in Business Profile under Parameters	PASSED	2.792 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
10	And User_609 Click on Corporate in Business Profile under Parameters	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.427 s
	screenshot		
11	And User_609 Enable the Session Activity History flag in Business Profile under Parameters	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
12 And User_609 Click the	Save Button in Business Profile under Parameters	PASSED	4.641 s
AFTER_STEP - stepdef	initions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
screenshot			
	+ 		
13 And User_609 Click the	Search Button in Business Profile under Parameters	PASSED	0.423 s
AFTER_STEP - stepdef	initions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.530 s
screenshot			
	<del></del>		
14 And User_609 Enter the	Business Profile input in Business Profile under Parameters	PASSED	7.148 s
AFTER_STEP - stepdef	initions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.690 s
screenshot			
15 And User_609 Click the	Approve Button in Business Profile under Parameters	PASSED	3.426 s
AFTER_STEP - stepdef	initions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
screenshot			

16 And User_609 Click on the Sub Profile screen under Parameters  AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  17 And User_609 Enter the SubProfile Name in Sub Profile under Parameters  AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 And User_609 Enter the SubProfile Name in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.339 s  0.361 s				
screenshot  17 And User_609 Enter the SubProfile Name in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.297 s  0.272 s  0.272 s  4 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.089 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.361 s	16	And User_609 Click on the Sub Profile screen under Parameters	PASSED	0.196 s
17 And User_609 Enter the SubProfile Name in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.089 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.346 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
17 And User_609 Enter the SubProfile Name in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  PASSED  O.297 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.089 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.089 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.346 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.361 s  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  PASSED  O.297 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.272 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.361 s				
screenshot  18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.297 s  0.297 s  0.272 s  0.272 s  19 And User_609 Select the Business Profile in Sub Profile under Parameters  PASSED  0.386 s	17	And User_609 Enter the SubProfile Name in Sub Profile under Parameters	PASSED	1.836 s
18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.297 s  0.297 s  0.272 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
18 And User_609 Enter the Brief Description in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.297 s  0.297 s  PASSED  0.272 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.272 s  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.089 s  0.346 s				
screenshot  19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.089 s  0.346 s	18	And User_609 Enter the Brief Description in Sub Profile under Parameters	PASSED	0.297 s
19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.089 s  0.346 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
19 And User_609 Select the Business Profile in Sub Profile under Parameters  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.089 s  0.346 s		screenshot	]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.346 s				
	19	And User_609 Select the Business Profile in Sub Profile under Parameters	PASSED	0.089 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
Succision		screenshot		

#	Step / Hook Details	Status	Duration
20	And User_609 Click the Save Button in Sub Profile under Parameters	PASSED	21.691 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot	1	
21	And User_609 Click the Search Button in Sub Profile under Parameters	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.466 s
	screenshot	1	
22	And User_609 Enter the Sub Profile input in Sub Profile under Parameters	FAILED	1 m 52.453 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'click') (Session info: chrome=116.0.5845.141) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: "Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [546f25eb4188146c9aff71d5d07a304f, executeScript {script=arguments[0].click();, args=[null]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.141, chrome: {chromedriverVersion: 115.0.5790.102 (90efd4b0ad6, userDataDir: C:UsersININDC~1\AppData\L}), goog:chromeOptions: {debuggerAddress: localhost:51596}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51596/devtoo, se:cdpVersion: 116.0.5845.141, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 546f25eb4188146c9aff71d5d07a304f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.CreateException(W3CHttpResponseCodec.java:133)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at utilities.UserUtility_614.clickOnElement(UserUtility_614.java:163) at utilities.UserUtility_614.enterDataAndEnter(UserUtility_614.java:304) at stepdefinitions.  ActivityHistory_609.User_609_Enter_the_Sub_Profile_input_in_Sub_Profile_under_Parameters(ActivityHistory_609.java:297) at ?.User_609 Enter the Sub Profile input in Sub Profile under Parameters(file:///C:/Users/inindc00609/eclipse-workspace/ Azentio_DigitalBanking_Vijay/src/test/java/Features/ActivityHistory_609.feature:151) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.381 s
23	And User_609 Click the Approve Button in Sub Profile under Parameters	SKIPPED	0.001 s


(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) add the operation "session activity history" to business profile and login with corporate user


(F) Activity History




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

(Step) AFTER\_STEP - stepdefinitions. nu Options
Parameters

> Settings

Profile Management

Bussiness Profile

C Sub Profile

User Management

OTP Report

ATM & Branches

ATM & Branches HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) add the operation "session activity history" to business profile and login with corporate user (F) Activity History (Step) AFTER\_STEP - stepdefinitions. enu Options

Parameters

> Settings

Profile Hanagement

© Budness Profile

Sub Profile

User Management


C Budness Settings

Authentication Matrix


C ATM & Branches

Limits Management HooksClass.addScreenshot(io.cucumber. java.Scenario) ➤ Limits Management ➤ Integration Settings Multi-Approve Process Reports (S) add the operation "session activity history" to business profile and login with corporate user (F) Activity History

EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --

