

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Application Login and verify system generates notification at checker stage	1	1	0	0	1 m 5.104 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Login and verify system	BP_SB_01_04 To verify user is able to create multiple	12	12	0	0	1 m 5.095 s
	generates notification at checker stage	records of Supplementory Budget					

DETAILED SECTION

(F)- Application Login and verify system generates notification at checker stage

PASSED	DURATION - 1 m 5.104 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 2:01:44.669 AN	Л // 2:02:49.773 AM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- BP_SB_01_04 To verify user is able to create multiple records of Supplementory Budget


PASSED DURATION - 1 m 5.095 s	10 -					Steps	
/ 2:01:44.678 AM // 2:02:49.773 AM /	8					Total - 12	
Application Login and verify system generates	4					Pass - 12	12
notification at checker stage	2 -					Skip - 0	
@Budget_BudgetSupplementary_BP_SB_01_04	1 2	3 4	5 6	7 8 9	10 11 12		

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs url and login as maker user	PASSED	9.888 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.553 s
	screenshot		
	Fig. 10 Sept. Sept		
2	Then select budget menu	PASSED	2.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.539 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.539 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 4 Then click on add button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - st		The state of the		
screenshot ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java. Scenario) AATER_STEP - stepde	3	And click on the eye icon of supplementary budget sub menu	PASSED	0.186 s
Then click on add button ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And fill the required field for yearly budget type ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED ASSED AGE AFER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFER_STEP - stepdefinitions.HooksClass.addScreens		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
Then click on add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And fill the required field for yearly budget type ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And fill the required field for yearly budget type PASSED And fill the required field for yearly budget type ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and aprove the record PASSED 1.960 s 3.652 s ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cuc		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And fill the required field for yearly budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and aprove the record PASSED 0.254 s		© 100 miles 100		
screenshot And fill the required field for yearly budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Save and aprove the record PASSED 1.960 s 1.960 s 2.652 s 3.652 s 4.652 s 4.653 s	4	Then click on add button	PASSED	2.216 s
5 And fill the required field for yearly budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and aprove the record PASSED 1.960 s 2.652 s 3.652 s PASSED 1.9539 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and aprove the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.652 s PASSED 10.539 s		# On an interesting	_	
Screenshot Then Save and aprove the record PASSED 10.539 s	5	And fill the required field for yearly budget type	PASSED	1.960 s
6 Then Save and aprove the record PASSED 10.539 s			PASSED	3.652 s
·		O O		
AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.131 s	6	Then Save and aprove the record	PASSED	10.539 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
7	Given Navigate to kubs url and login as maker user	PASSED	8.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	Prince Service Control Que Con		
8	Then select budget menu	PASSED	2.490 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	Screenshot Output O		
9	And click on the eye icon of supplementary budget sub menu	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.179 s
	1. 2. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		
10	Then click on add button	PASSED	2.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		

DETAILED SECTION -- 7 --




EXPANDED SECTION --- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

