


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Application Login and verify	1	0	1	0	6 m 19.574 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Login and verify	(auto auth)BP_BT_01_04 To verify user is able to create	16	7	1	8	6 m 19.569 s
		multiple records of Budget Transfer					

DETAILED SECTION -- 4 --

(F)- Application Login and verify

FAILED	DURATION - 6 m 19.574 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 10:54:40.114	PM // 11:00:59.688 PM /	Pass - 0	1	Pass - 7	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- (auto auth)BP_BT_01_04 To verify user is able to create multiple records of Budget Transfer

FAILED DURATION - 6 m 19.569 s	300	;-	- †						· - ÷ -			-;				Steps			
/ 10:54:40.119 PM // 11:00:59.688 PM /	200		- + -	-												Total - 16 Pass - 7		40	A
Application Login and verify	100		- + -	-		-				-		-	-	-		Fail - 1	Ţ	16	,
@Budget_BudgetTransfer_BP_BT_01_04	0	1	2	3	4	5	6	7 8	9	10	11	12	13	14	15	Skip - 8			

#	Step / Hook Details	Status	Duration
1	Given Maker login	PASSED	15.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.672 s
	screenshot		
	POSITION SPACE AND ADMINISTRATION OF THE PROPERTY OF THE PROP		
2	And Maker click on the direction tab	PASSED	0.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		

#	Step / Hook Details	Status	Duration
	POSITION SPACE AND ADMINISTRATION OF THE POSITION OF THE POSIT		
3	Then Maker click on the budget	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot	1	
	# © State Control State State Control Sta		
4	Then Maker click on budget transfer eye button	PASSED	0.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.268 s
5	And Maker click on add button	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_Step - step -	PASSED	0.289 s
6	Then Maker fill the details and save	PASSED	4.808 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		


#	Step / Hook Details	Status	Duration
	*** *** **** **** ***** **************		
7	Then Maker click on the notification icon	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot	1	
	## CONTRACTOR Part Part		
8	Then Maker submit the budget transfer record	FAILED	5 m 27.912 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [a2b36e8aa546661a21c79c39c6107602, findElement {using=xpath, value=//span[contains(text], 'Submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:Users\NININDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:59416}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59416/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a2b36e8aa546661a21c79c39c6107602 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:149) at org.openga.selenium.remote.		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.Budget_BudgetTransfer_BP_BT.maker_submit_the_budget_transfer_record(Budget_BudgetTransfer_BP_BT.java:218)		
	at ?.Maker submit the budget transfer record(file:///C:/Users/inindc00082/eclipse-workspace/		
	AzentioAutomationFrameworkMakingchangesinmaker/src/test/java/features/Budget_BudgetTransfer_BP_BT_System&UAT.feature:84)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.026 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [a2b36e8aa546661a21c79c39c6107602, screenshot (3) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, (rbome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}), goog:chromeOptions: {debuggerAddress: localhost:59416}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59416/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:incredBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a2b36e8aa546661a21c79c39c6107602 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor,java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor,java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openga.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.Service.Driver		
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
9	Then Maker login	SKIPPED	0.000 s

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
10	And Maker click on the direction tab	SKIPPED	0.000 s
11	Then Maker click on the budget	SKIPPED	0.001 s
12	Then Maker click on budget transfer eye button	SKIPPED	0.000 s
13	And Maker click on add button	SKIPPED	0.000 s
14	Then Maker fill the details and save	SKIPPED	0.001 s
15	Then Maker click on the notification icon	SKIPPED	0.000 s
16	Then Maker submit the budget transfer record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.253 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511.cbda' System info: host: 'INMUVADP014667', jp: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a2b36e8aa546661a21c79c39c6107602, close {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45}, [avascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59416/devtoo, se:cdp/version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: a2b36e8aa546661a21c79c39c6107602 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.cecateException(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:140) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.Remo		

EXPANDED SECTION --- 9 --



EXPANDED SECTION -- 10 --

