


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Application Login and verify system generates notification at checker stage	1	1	0	0	23.616 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Login and verify system	BP_SB_04_01 To verify whether user is able to reject the	6	6	0	0	23.610 s
	generates notification at checker stage	Supplementory Budgets					

DETAILED SECTION -- 4

## (F)- Application Login and verify system generates notification at checker stage

PASSED	DURATION - 23.616 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 12:25:44.975 Al	M // 12:26:08.591 AM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- BP\_SB\_04\_01 To verify whether user is able to reject the Supplementory Budgets

PASSED DURATION - 23.610 s	15 Steps	
/ 12:25:44.981 AM // 12:26:08.591 AM /	10 - Total - 6	
Application Login and verify system generates	Pass - 6	6
notification at checker stage	5   Fail - 0	
	0 Skip - 0	
@Budget_BudgetSupplementary_BP_SB_04_01	1 2 3 4 5 6	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and login to Checker1	PASSED	14.844 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
	■ © Non-Constraints    State   Constraints   Printed State   Constraints   □ □ □   District		
	Table 9 1984 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
2	When Click on the Security management	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

3 Then Click on open pool & click clam button PASSED 0.065 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s  4 Then Click on the Notification PASSED 0.1056 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.120 s  Then Click on action button of record user want to reject PASSED 0.122 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s  Then Click on action button of record user want to reject PASSED 0.267 s  Then Click on reject button PASSED 0.267 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 Then Click on the Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		2 5 0		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 Then Click on the Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot  4 Then Click on the Notification PASSED 1.056 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  5 Then Click on action button of record user want to reject PASSED 0.112 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot PASSED 0.112 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  PASSED 0.126 s	3			
4 Then Click on the Notification PASSED 1.056 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on action button of record user want to reject PASSED 0.120 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.122 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.267 s			PASSED	0.096 s
4 Then Click on the Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.120 s  PASSED  0.112 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.120 s		Secret/Order		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.120 s  PASSED  0.112 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.120 s	4	Then Click on the Notification	PASSED	1 056 s
Screenshot  Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.112 s  PASSED  0.267 s	i i			
5 Then Click on action button of record user want to reject PASSED 0.112 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  The click on action button of record user want to reject PASSED 0.128 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)			1770022	0.120 3
Then Click on action button of record user want to reject  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  +		● Outstanding	-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot				
Screenshot    Part   State   S	5	·	PASSED	
The order to the control of the cont		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
Table		screenshot		
6 Then Click on reject button PASSED 1.484 s				
	6	Then Click on reject button	PASSED	1.484 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.164 s		·	PASSED	0.164 s
screenshot		screenshot	]	

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration

EXPANDED SECTION -- 7

