
Start: Dec 17, 3:51:47.391 PM End: Dec 17, 3:52:13.617 PM **Duration**: 26.226 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 9 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|-------------------|---|---|---|---|----------|
| 1 | Application Login | 1 | 0 | 1 | 0 | 21.032 s |
| 2 | Registratio Tests | 1 | 0 | 1 | 0 | 5.141 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------|--|---|---|---|---|----------|
| 1 | Application Login | Login with valid credentials | 4 | 0 | 1 | 3 | 21.028 s |
| 2 | Registratio Tests | Register an account with valid details | 5 | 0 | 1 | 4 | 5.140 s |

DETAILED SECTION -- 4 --

(F)- Application Login

| FAILED | DURATION - 21.032 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 4 | |
| / 3:51:47.391 PN | 1 // 3:52:08.423 PM / | Pass - 0 | 1 | Pass - 0 | 4 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 3 | |

(S)- Login with valid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to Login page | FAILED | 2.162 s |
| | java.lang.RuntimeException: Json file not found at path: src/main/java/jsonData/Budgetreqandallocation.json | | |
| | at dataProvider.JsonReader.getAllocationList(JsonReader.java:92) | | |
| | at dataProvider.JsonReader. <init>(JsonReader.java:45)</init> | | |
| | at stepdefinitions.login. <init>(login.java:32)</init> | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) | | |
| | at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) | | |
| | at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) | | |
| | at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) | | |
| | at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) | | |
| | at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) | | |
| | at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | | |
| | at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) | | |
| | at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:567) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.461 s |
| | screenshot | | |
| | + | | |
| | | | |
| | | | |
| | | | |
| 2 | When User enters usernamea and password in their respective fields | SKIPPED | 0.000 s |
| 3 | And User clicks on Login button | SKIPPED | 0.001 s |
| 4 | Then Verify user is able to successfully login | SKIPPED | 0.000 s |

(F)- Registratio Tests

| FAILED | DURATION - 5.141 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 5 | |
| / 3:52:08.476 PN | M // 3:52:13.617 PM / | Pass - 0 | 1 | Pass - 0 | 5 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 4 | |

(S)- Register an account with valid details

| FAILED | DURATION - 5.140 s | 0.15 | | | | | | Steps | |
|-----------------|--------------------------|------|---|---|---|---|---|----------------------|---|
| / 3:52:08.477 | / PM // 3:52:13.617 PM / | 0.1 | | | | | | Total - 5 | |
| Registratio Tes | sts | .05 | | | | | | Pass - 0 Fail - 1 | 5 |
| @register | | 0 | | | | | | Skip - 4 | |
| | | | 1 | 2 | 3 | 4 | 5 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigates to Registration page | FAILED | 0.005 s |
| | java.lang.RuntimeException: Json file not found at path: src/main/java/jsonData/Budgetreqandallocation.json | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at dataProvider.JsonReader.getAllocationList(JsonReader.java:92) | | |
| | at dataProvider.JsonReader. <init>(JsonReader.java:45)</init> | | |
| | at stepdefinitions.register. <init>(register.java:27)</init> | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) | | |
| | at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) | | |
| | at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) | | |
| | at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) | | |
| | at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) | | |
| | at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) | | |
| | at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | | |
| | at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) | | |
| | at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:567) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.run(TestRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesSequentially(TestNG.java:134) at org.testng.TestNG.runSuitesCoally(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.194 s |
| | + | | |
| 2 | When User enters the personal details for "arun" | SKIPPED | 0.000 s |
| 3 | And Selects the privacy policy option | SKIPPED | 0.001 s |
| 4 | And Clicks on Continue button | SKIPPED | 0.001 s |
| 5 | Then User should get successfully registered | SKIPPED | 0.000 s |

