# Cucumber Report

| Start : Jan 14, 2:07:32.715 AM | End : Jan 14, 2:41:35.104 AM | Duration : 34 m 2.389 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 6 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| *1* | *Application Login and verify system generates notification at checker stage* | *1* | *0* | *1* | *0* | *34 m 2.389 s* |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Application Login and verify system generates notification at checker stage | BP_SB_03_02    To verify system generates notification at checker login | 7 | 0 | 1 | 6 | 34 m 2.379 s |

## (F)- Application Login and verify system generates notification at checker stage

| FAILED | DURATION - 34 m 2.389 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 7 | |
| / 2:07:32.715 AM // 2:41:35.104 AM / | | Pass - 0 | 1 | Pass - 0 | 7 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

## (S)- BP_SB_03_02   To verify system generates notification at checker login

| FAILED | DURATION - 34 m 2.379 s | | Steps | |
|---|---|---|---|---|
| / 2:07:32.725 AM // 2:41:35.104 AM / | | | Total - 7 | |
| Application Login and verify system generates notification at checker stage | | | Pass - 0 | 7 |
| | | | Fail - 1 | |
| @Budget_BudgetSupplementary_BP_SB_03_02 | | | Skip - 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate  to URL and login to Checker1 | FAILED | 33 m 40.947 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [2f38baa29c64178e4b72d99a15eb1a0c, findElement {using=xpath, value=//input[@id='pwd1']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62270}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62270/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2f38baa29c64178e4b72d99a15eb1a0c<br>    at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.toString(Unknown Source)<br>at java.base/java.lang.String.valueOf(String.java:4215)<br>at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)<br>at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:673)<br>at java.base/java.lang.String.valueOf(String.java:4215)<br>at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)<br>at helper.WaitHelper.waitForElement(WaitHelper.java:79)<br>at stepdefinitions.KUBS_Login.loginToAzentioAppAsChecker(KUBS_Login.java:93)<br>at stepdefinitions.Budget_BudgetSupplementary_BP_SB.navigate_to_url_and_login_to_checker1(Budget_BudgetSupplementary_BP_SB.java:48)<br>at ?.Navigate  to URL and login to Checker1(file:///C:/Users/inindc00082/eclipse-workspace/AzentioAutomationFrameworkMakingchangesinmaker/src/test/java/features/Budget_BudgetSupplementary_TC.feature:16)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 0.253 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2f38baa29c64178e4b72d99a15eb1a0c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62270}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62270/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2f38baa29c64178e4b72d99a15eb1a0c<br>at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 2 | When Click  on the Security management | SKIPPED | 0.001 s |
| 3 | Then Click  on open pool & click clam button | SKIPPED | 0.001 s |
| 4 | Then Click  on the Notification | SKIPPED | 0.028 s |
| 5 | And Find the budget code which is submitted from maker | SKIPPED | 0.001 s |
| 6 | Then Click on action Button | SKIPPED | 0.000 s |
| 7 | And Verify the record is generated by opening the record | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 4.439 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable    (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2f38baa29c64178e4b72d99a15eb1a0c, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62270}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62270/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2f38baa29c64178e4b72d99a15eb1a0c<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |