
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Registratio Tests	1	0	1	0	14.645 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Registratio Tests	Register an account with valid details	5	4	1	0	14.642 s

DETAILED SECTION -- 4 --

## (F)- Registratio Tests

FAILED	DURATION - 14.645 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 5:37:07.368 PN	1 // 5:37:22.013 PM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Register an account with valid details




#	Step / Hook Details	Status	Duration
1	Given User navigates to Registration page	PASSED	2.578 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
	See		
2	When User provies the following details into the input fields	PASSED	0.551 s
	firstName arun lastName motoori		
	email arun.motoori@yahoo.co.in		
	phone 12345678		
	password SeleniumTester\$		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Note that the second se		
3	And Selects the privacy policy option	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	Note the second		
4	And Clicks on Continue button	PASSED	0.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	To the proof of th		
5	Then User should get successfully registered	FAILED	0.017 s
	java.lang.AssertionError: User has registered at org.testng.Assert.fail(Assert.java:99) at stepdefinitions.register.user_should_get_successfully_registered(register.java:73) at ?.User should get successfully registered(file:///C:/Users/dharshini.4312/git/ExtentReportsExample/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/RegisterAsNewMember.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.547 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host:		
	'Z51', ip: '192.168.42.176', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.		
	chrome.ChromeDriver Command: [8093f3f4f83105ea198f683bc16e7f16, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName:		
	chrome, browserVersion: 95.0.4638.69, chrome: {chromedriverVersion: 95.0.4638.54 (d31a821ec901f, userDataDir:		
	C:\Users\DHARSH~1.431\AppDa}, goog:chromeOptions: {debuggerAddress: localhost:59863}, javascriptEnabled: true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		
	ws://localhost:59863/devtoo, se:cdpVersion: 95.0.4638.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8093f3f4f83105ea198f683bc16e7f16		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java.ro) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java.ro)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java.480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)		
	at helper.ScreenshotHelper.takeScreenshotForFailureReport(ScreenshotHelper.java:34)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:61)		

**EXPANDED SECTION** 




HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Register an account with valid details


(F) Registratio Tests

(Step) AFTER STEP - stepdefinitions.



(F) Registratio Tests






\$ Currency ▼

(Step) AFTER\_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Register an account with valid details

(F) Registratio Tests



\$ 123456789 

My Account 

Wish List (0) 

Shopping Cart 

Checkout

EXPANDED SECTION -- 9 --

