


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	1	1	0	0	38.676 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpens-	Creation of Living Expense with valid data.	19	19	0	0	38.672 s
	es						

(F)- Tawarah_AppDataEntry_LivingExpenses

PASSED	DURATION - 38.676 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 2:55:35.314 PN	Л // 2:56:13.990 PM /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense with valid data.



;	#	Step / Hook Details	Status	Duration
1		Given navigate the IJARA URL	PASSED	4.003 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
		screenshot		
		+ AZENTIO		
2		And login with valid credentials2	PASSED	4.150 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
		screenshot		
		AZENTIO SCOTION SCO		

A And User_607 Click intox in the home page AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User_607 Click intox in the home page AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User_607 Click intox in the home page AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User_607 Click Search in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User_607 Click Search in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AND User_607 Enter the clientname under searchButton for Appdata entry QuationInfo And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click the Expense Type on Action AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.70 s PASSED 0.201 s	#	Step / Hook Details	Status	Duration
screenshot And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s	3	And user update test data set id for AT_LEA_001	PASSED	0.326 s
4 And User_607 Click inbox in the home page PASSED 0.501 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.238 s 5 And User_607 Click Search in inbox PASSED 0.238 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.322 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.274 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.274 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.266 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.201 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
4 And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.274 s PASSED 0.276 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AZENTO ************************************		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) creenshot And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s		•		
screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s	4	And User_607 Click inbox in the home page	PASSED	0.501 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s PASSED 0.201 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s PASSED 0.201 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s PASSED 0.201 s	5	And User 607 Click Search in inbox	PASSED	0.149 s
screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s PASSED 0.201 s		_		
And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s PASSED 0.201 s		AZENTOmod of \$ 100 miles of \$ 100		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.170 s PASSED 0.201 s	6	And Licar, 607 Enter the clientname under search Button for Anndata entry Quetion Info	DASSED	0.274.6
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s				
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s			I ASSED	0.200 3
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s		** ASSETTO** ** AND SET OF *** ** AND SET OF ** ** AND SET OF *** ** AND SET OF *** ** AND SET OF ** ** AND SE		
	7	And user click the ExpenseType on Action	PASSED	1.170 s
screenshot			PASSED	0.201 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	ARENTO		
8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	0.741 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
	ARBITO AND DE PROPERTO DE LA CONTRACTION DE LA		
9	And user click the field AddButton	PASSED	0.620 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
10	And user click the field AddbuttonunderExpenseInfo	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
	ATION OF THE PROPERTY OF THE P		
11	And user select the type in expeseType select box	PASSED	0.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		


		Duration
AZENTO PARENTO SERVICE SERVIC		
12 And user click the select check box	PASSED	0.289 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
screenshot		
ASSITIO AND DESCRIPTION AND DESCRIPTIO		
And user Enter the Special Char in Amount field	PASSED	0.137 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
screenshot		
ACUTO AC		
14 And user Enter the String value in Amount field	PASSED	0.105 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
screenshot		
APENTO		
15 And user Enter the Amount in Amount field	PASSED	0.319 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
screenshot		

#	Step / Hook Details	Status	Duration
	ARESTTO PARTY OF THE PARTY OF		
16	And user Enter the Value ExpectedCostOfLiving field	PASSED	4.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	ATSENTO AMERICAN AND		
17	And user Enter the Value MinimumCostOfLiving Field	PASSED	6.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
	ARESTTO ARE		
18	And user click the field saveButton	PASSED	3.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	ATENTO ATENTO		
19	And User_7181 enter the special character for account number field	PASSED	3.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		


DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	ACENTO AND DE LA CONTROLLES A		








EXPANDED SECTION -- 12 --

















EXPANDED SECTION -- 19 --

