Cucumber Report

| Start : Sep 29, 9:56:30.383 AM	End : Sep 29, 9:56:48.410 AM	Duration : 18.027 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 8

#	Feature Name	T	P	F	S	Duration
1	L1 Apporval	1	0	1	0	18.027 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	L1 Apporval	enter a data	17	8	1	8	18.024 s

(F)- L1 Apporval

FAILED	DURATION - 18.027 s	Scenarios		Steps	
	/ 9:56:30.383 AM // 9:56:48.410 AM /	Total - 1	1	Total - 17	17
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- enter a data

FAILED	DURATION - 18.024 s		Steps	
	/ 9:56:30.386 AM // 9:56:48.410 AM /		Total - 17	17
	L1 Apporval		Pass - 8	
	@AT_UNW_003		Fail - 1	
			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.660 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	screenshot		
2	And login with valid credentials	PASSED	3.932 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.565 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And get the test data for test case ID AT_UNW_003	PASSED	0.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.583 s
4	And click on mail box	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.335 s
5	And click on search box upon click on the mail box	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.219 s
6	And search the record reference number in search text box	PASSED	0.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.194 s
7	And Select record after search	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.227 s

#	Step / Hook Details	Status	Duration
8	And Click On the edit button Below Faclity Info	PASSED	1.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
9	And Click On the Recommendation in Offer Decision	FAILED	0.097 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'click') (Session info: chrome=117.0.5938.92) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2ed3a89925c1e7e641206cd338814d3, executeScript {script=arguments[0].click();, args=[null]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57598/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f2ed3a89925c1e7e641206cd338814d3
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	  at helper.JavascriptHelper.JSEClick(JavascriptHelper.java:41)
	  at stepdefinitions.IjaraTest.click_on_the_recommendation_in_offer_decision(IjaraTest.java:5522)
	  at ?.Click On the Recommendation in Offer Decision(file:///C:/Users/inindc00626/git/ULS_Ijarahkk/ULS_kailash/src/test/java/features/L1Approval.feature:12)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot		
10	And Click On the Add button in List of Condition	SKIPPED	0.002 s
11	Then Enter Number in Sequence Number Field Below the Conditions	SKIPPED	0.000 s
12	Then Enter Data in Condition Field Below the Conditions	SKIPPED	0.000 s
13	Then Select the Date Below the Conditions	SKIPPED	0.000 s
14	Then select Fulfiiled in fulfilled Dropdown Below the Conditions	SKIPPED	0.000 s
15	Then Turn on the Approval Status Below the Conditions	SKIPPED	0.000 s
16	Then Fill The Remarks Field Below the Conditions	SKIPPED	0.000 s
17	Then Click on the Save button To Save The Conditions Record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	3244	Mehul	Loan Application	Tawarruq Retail work Flow	0371	App Data Entry	CPUEXEC	28-Sep-2023	
	3063	Shyam	Loan Application	Ijara Auto Retail work Flow	0371	L1 Approval	CREUNDREV	27-Sep-2023	
	3214	David	Loan Application	Ijara Auto Retail work Flow	0371	Offering	CREOFF	22-Sep-2023	
	3018	Akxar	Loan Application	Ijara Auto Retail work Flow	0371	L1 Approval	CREUNDREV	06-Sep-2023	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

AZENTIO
ONEBanking

31-Jan-2023

Prev | Offer Decision | Application Details | Customer details | Additional Customer Info | Customer Financials | Living Expenses | Facility Info | Asset Details | Quotation Info | Insurance Info | Policy Check | Docum | Next