

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpenses	1	1	0	0	27.628 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpens-	System should allow to do modification	11	11	0	0	27.625 s
	es						

## **(F)-** Murabha\_AppDataEntry\_LivingExpenses

PASSED	DURATION - 27.628 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 11:15:37.168 AI	M // 11:16:04.796 AM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- System should allow to do modification




#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
	AZENTIO		
2	And login with valid credentials2	PASSED	4.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.627 s
	screenshot		
	AZENTIO		


After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.130 s  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.210 s	#	Step / Hook Details	Status	Duration
screenshot  4 And User_607 Click inbox in the home page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 PASSED  0.130 S  0.184 S  0.184 S  0.184 S  0.185 S  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 S  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.105 S	3	And user update test data set id for AT_LEA_001	PASSED	0.318 s
4 And User_607 Click inbox in the home page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  0.130 s  PASSED  0.184 s  0.184 s  0.184 s  0.185 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  PASSED  0.210 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
4 And User_607 Click inbox in the home page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.20 s		screenshot		
4 And User_607 Click inbox in the home page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.130 s  PASSED  0.184 s  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  PASSED  0.210 s		AZENTO AND DE ROUND OF THE ROUN		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.185 s  PASSED  0.210 s				
screenshot  5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.130 s  0.184 s  0.185 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  0.210 s	4		PASSED	
5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.130 s  0.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.130 s  0.184 s  0.184 s		screenshot		
5 And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.130 s  0.184 s  0.184 s  0.185 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.210 s		AZENTO ************************************		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.184 s  0.185 s  PASSED  0.210 s				
Screenshot  6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  0.210 s	5	_	_	
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  0.210 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  0.210 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.210 s		No.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.210 s	6	And User 607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.165 s
	-			
AZINTO  1-0-12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		**************************************		
7 And user click the ExpenseType on Action PASSED 1.102 s	7	And user click the ExpenseType on Action	PASSED	1.102 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ARSTTO  Search 2 of Mills (1) and 10 of Mills		
8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	0.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	TARRETTO AND		
9	And User_610 click edit button under documents details	PASSED	4.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.155 s
	ALENTO  ALENTO		
10	And User_610 verify the system not allow user to do a modification with invalid data Spouse Salary	PASSED	4.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	ATENTO  ATENTO		
11	And User_610 save button and verify the success message in murabha	PASSED	1.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	AFFITO  AND DESCRIPTION  AND DESCRIPTION		





EXPANDED SECTION -- 10 --

**AZENTIO** 31-Jan-2023 📰 💌 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 (Step) AFTER\_STEP - stepdefinitions. **ONE**Banking 88 HooksClass.addScreenshot(io.cucumber. XI java.Scenario) Event Created Date Approver Role Client Name Stage Description Role Code CPUEXEC 09-Nov-2023 Murabaha Auto Retail work 0288 3511 13-Oct-2023 Vikram Loan Application Duplicate App Decision 13-Oct-2023 Amresh puri Tawarruq Retail work Flow 0288 CPUEXEC 06-Oct-2023 20 CPUEXEC App Data Entry 13-Sep-2023 2/ SME Tawarruq corporate work 0288 App Data Entry 04-Sep-2023 2, GANESH JI SHUKLA New Application (S) System should allow to do modification 614 RAINI BREXEC 11-Nov-2022 New Application 2 CPUEXEC 11-Nov-2022 RUPESH App Data Entry C Showing 1 to 9 of 9 entries << < 1 > » 10 V (F)

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

Murabha\_AppDataEntry\_LivingExpenses


ucumber.


(S) System should allow to do modification

(F) Murabha AppDataEntry LivingExpenses

≡	AZENT ONEBanking	10°					31	-Jan-2023 📰 🔀	Eng 🔻	LOS - Cen
88	Inbox									× 3357
Ø	Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
<b>⊃</b> ;	2,0	3711	name tawa	Loan Application	Tawarruq Retail work Flow	0288	App Data Entry	CPUEXEC	09-Nov-2023	
0	20	3511	Vikram	Loan Application	Murabaha Auto Retail work Flow	0288	Duplicate App Decision	BRMANG	13-Oct-2023	
	20	3503	Vikram	Loan Application	Murabaha Auto Retail work Flow	0288	Duplicate App Decision	BRMANG	13-Oct-2023	
	2,0	3357	Amresh puri	Loan Application	Tawarruq Retail work Flow	0288	App Data Entry	CPUEXEC	06-Oct-2023	
	2,	3048		Loan Application	Murabaha Auto Retail work Flow	0288	App Data Entry	CPUEXEC	13-Sep-2023	
	2	2991	SSS	Loan Application	SME Tawarruq corporate work Flow	0288	App Data Entry	CPUEXEC	04-Sep-2023	
	2,0	658	GANESH JI SHUKLA	Loan Application	Home Loan Workflow	0288	New Application	BREXEC	12-Nov-2022	
	2,	614	RAJNI	Loan Application	Home Loan Workflow	0288	New Application	BREXEC	11-Nov-2022	
	2,0	597	RUPESH	Loan Application	Home Loan Workflow	0288	App Data Entry	CPUEXEC	11-Nov-2022	
	Ċ							Showing 1 to 9 of 9 entr	ies << <	1 > » 10 ×







EXPANDED SECTION -- 13 --

