Cucumber Report

| Start : Nov 17, 2:59:15.130 PM	End : Nov 17, 3:00:14.260 PM	Duration : 59.130 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 26
1	1	32
0 %	0 %	15 %

#	Feature Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	1	0	1	0	59.130 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	Creation of Living Expense with valid data.	32	5	1	26	59.127 s

(F)- Tawarah_AppDataEntry_LivingExpenses

| FAILED	DURATION - 59.130 s	Scenarios		Steps	
		Total - 1		Total - 32	
/ 2:59:15.130 PM // 3:00:14.260 PM /		Pass - 0	1	Pass - 5	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 26	

(S)- Creation of Living Expense with valid data.

FAILED	DURATION - 59.127 s		Steps	
/ 2:59:15.133 PM // 3:00:14.260 PM /			Total - 32	
Tawarah_AppDataEntry_LivingExpenses			Pass - 5	32
			Fail - 1	
@AT_TW_AD_LEA_006			Skip - 26	

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.991 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
2	And login with valid credentials2	PASSED	4.786 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user update test data set id for AT_LEA_001	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s
	screenshot 		
4	And User_607 Click inbox in the home page	PASSED	0.539 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot 		
5	And User_607 Click Search in inbox	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot 		
6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	FAILED	43.453 s

	java.lang.AssertionError: element not interactable (Session info: chrome=119.0.6045.159) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [70f806d9d9082c1e200cfe4dfd188e8e, sendKeysToElement {id=41880C23785F8D3045D148B3E9ED786F_element_32, value=[Ljava.lang.CharSequence;@1676550a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.159, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49684}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49684/devtoo..., se:cdpVersion: 119.0.6045.159, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium. remote.RemoteWebElement@7e493aae -> unknown locator] Session ID: 70f806d9d9082c1e200cfe4dfd188e8e
	    at org.testng.Assert.fail(Assert.java:111)
	    at stepdefinitions.Murabha_Appdataentry_Insuranceinfo.		

#	Step / Hook Details	Status	Duration
	user_enter_the_clientname_under_search_button_for_Appdata_entry_QuationInfoInfo(Murabha_Appdataentry_Insuranceinfo.java:60) at ?.User_607 Enter the clientname under searchButton for Appdata entry QuationInfo(file:///C:/Users/inindc00626/git/Tharun_ULS/ Tharun_ULS/src/test/java/features/Tawarah_AppDataEntry_LivingExpenses.feature:64) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.275 s
7	And user click the ExpenseType on Action	SKIPPED	0.000 s
8	And User_610 click Living Expenses Screen in App Data Entery	SKIPPED	0.001 s
9	And user click the field AddButton	SKIPPED	0.000 s
10	And user click the CustomerName in input field	SKIPPED	0.000 s
11	And user select the CustomerName in under customerInput	SKIPPED	0.000 s
12	And user click the field AddbuttonunderExpenseInfo	SKIPPED	0.000 s
13	And user verify the field BackButton	SKIPPED	0.001 s
14	And user verify the field DeleteButton	SKIPPED	0.000 s
15	And user select the type in expeseType select box	SKIPPED	0.000 s
16	And user click the select check box	SKIPPED	0.001 s
17	And user Enter the Amount in Amount field	SKIPPED	0.000 s
18	And user verify the Total living expense field	SKIPPED	0.000 s
19	And user verify the Accredited Cost field	SKIPPED	0.000 s
20	And user click the field saveButton	SKIPPED	0.003 s
21	And user click the Edit button under Action	SKIPPED	0.000 s
22	And user verify the field saveButton	SKIPPED	0.001 s
23	And user verify the field BackButton	SKIPPED	0.000 s
24	And user verify the field DeleteButton	SKIPPED	0.002 s
25	And user verify the field ExpenseType	SKIPPED	0.001 s
26	And user verify the field Amount	SKIPPED	0.002 s
27	And user modify the Amount field	SKIPPED	0.001 s
28	And user click the field saveButton	SKIPPED	0.002 s
29	And user Enter the Amount in Amount field	SKIPPED	0.004 s
30	And user Enter the Value ExpectedCostOfLiving field	SKIPPED	0.001 s

| #	Step / Hook Details	Status	Duration
31	And user Enter the Value MinimumCostOfLiving Field	SKIPPED	0.002 s
32	And user click the field saveButton	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses