

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpenses	1	1	0	0	25.006 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpens-	Creation of Living Expense with valid data.	19	19	0	0	25.002 s
	es						

(F)- Murabha_AppDataEntry_LivingExpenses

PASSED	DURATION - 25.006 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 11:00:39.956 Al	M // 11:01:04.962 AM /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense with valid data.



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
	+ AZENTIO		
2	And login with valid credentials2	PASSED	5.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
	AZENTIO		

#	Step / Hook Details	Status	Duration
3	And user update test data set id for AT_LEA_001	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
	ASSENTO I AND BUT IN NO. NO. NO. NO.		
	•		
4	And User_607 Click inbox in the home page	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
	AZENTO AMB DE TRANSPORTO DE TR		
	•		
5	And User_607 Click Search in inbox	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
	AESTICO		
	** O **		
	•		
6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
	ABBUT ABBU		
7	And user click the ExpenseType on Action	PASSED	1.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		


8 And User_610 click Living Expenses Screen in App Data Entery AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click the field AddButton PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) presentst PASSED 0.199 s 0.744 s PASSED 0.192 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And user click the field AddButton PASSED 0.361 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 creenshot PASSED 0.348 s 10 And user click the CustomerName in input field PASSED 0.395 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 6 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 12 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 13 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 14 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 15 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 16 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 17 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 18 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 19 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 19 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Arter_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Arter_STEP - stepdefinitions. Hooks				
screenshot ArTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot Arter_Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot Arter_Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.744 s Arter_Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.192 s	8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	1.299 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Artical Screenshot 10 And user click the CustomerName in input field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.744 s PASSED 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user click the CustomerName in input field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.348 s 0.348 s PASSED 0.395 s PASSED 0.169 s 0.169 s 0.744 s PASSED 0.744 s PASSED 0.744 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user click the CustomerName in input field PASSED 0.395 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.348 s 0.348 s PASSED 0.348 s		ARISHTO AND DE LE MONTO DE LE		
screenshot And user click the CustomerName in input field AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.395 s 0.169 s 0.169 s	9	And user click the field AddButton	PASSED	0.361 s
10 And user click the CustomerName in input field PASSED 0.395 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.744 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click the CustomerName in input field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.395 s 0.169 s 0.744 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.794 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s 0.744 s 0.744 s 0.792 s		A SENTO A S		
Screenshot 11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.744 s PASSED 0.192 s	10	And user click the CustomerName in input field	PASSED	0.395 s
11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.744 s PASSED 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
11 And user select the CustomerName in under customerInput AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.744 s O.744 s O.792 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s		ASSISTED ASSIST		
	11	And user select the CustomerName in under customerInput	PASSED	0.744 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	ACTIVITO I AND IN THE PROPERTY OF THE PROPERT		
12	And user click the field AddbuttonunderExpenseInfo	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
	ACTIVIO LONG BY		
13	And user select the type in expeseType select box	PASSED	0.492 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
	ACTIVITO AND IN TO THE PARTY OF THE PARTY O		
14	And user click the select check box	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
	ACTIVITY AND ALL PLANTS AND		
15	And user Enter the Amount in Amount field	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AFRITO FAMILY OF THE PROPERTY		
16	And user verify the Total living expense field	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
	A PARTON A PART		
17	And user verify the Accredited Cost field	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	ATTIVIO ***ATTIVIO ***ATTIVI		
18	And user verify the ExpectedCostOfLiving field	PASSED	0.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
	AFFITO APPENDED TO THE PROPERTY OF THE PROPER		
19	And user Verify the MinimumCostOfLiving Field	PASSED	0.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	ACENTO AND DE DE MINISTERIO DE LA CONTRACTION D		





EXPANDED SECTION -- 12 --

AZENTIO 31-Jan-2023 📰 😅 🔐 Eng... 🔻 LOS 🔻 Cen... 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox XI java.Scenario) Created Date Approver Role Client Name Event Employee Stage Description Role Code App Data Entry CPLIEXEC 09-Nov-2023 Murabaha Auto Retail work 20 3511 Vikram Loan Application Duplicate App Decision BRMANG 13-Oct-2023 20 13-Oct-2023 20 3357 Amresh puri App Data Entry CPUEXEC 06-Oct-2023 2, App Data Entry CPUEXEC 13-Sep-2023 SME Tawarruq corporate work 0288 2, CPUEXEC 04-Sep-2023 (S) Creation of Living Expense with valid 2, GANESH JI SHUKLA New Application data. 2, 614 RAINI Loan Application New Application BREXEC 11-Nov-2022 2, CPUEXEC RUPESH App Data Entry 11-Nov-2022 C Showing 1 to 9 of 9 entries << > >> 10 V

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

Murabha_AppDataEntry_LivingExpenses


(S) Creation of Living Expense with valid data.


Murabha_AppDataEntry_LivingExpenses


AZENTIO 31-Jan-2023 📰 💌 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 **ONE**Banking 88 Inbox × 3357 0 Client Name Role Code Created Date Approver Role Stage Description 2, name tawa App Data Entry CPUEXEC 09-Nov-2023 Murabaha Auto Retail work Loan Application Duplicate App Decision 13-Oct-2023 Murabaha Auto Retail work 0288 20 3503 Vikram Duplicate App Decision 13-Oct-2023 2, Amresh puri App Data Entry CPUEXEC 06-Oct-2023 Murabaha Auto Retail work 0288 2, 3048 Loan Application App Data Entry CPUEXEC 13-Sep-2023 2/ App Data Entry CPUEXEC 04-Sep-2023 2, 658 GANESH JI SHUKLA 12-Nov-2022 20 614 BREYEC RAJNI New Application 11-Nov-2022 2 597 RUPESH CPUEXEC 11-Nov-2022 App Data Entry Loan Application Home Loan Workflow Showing 1 to 9 of 9 entries << >> 10 V


8


EXPANDED SECTION -- 13 --














EXPANDED SECTION -- 19 --

