Cucumber Report

| Start : Nov 16, 11:11:34.325 AM	End : Nov 16, 11:12:07.935 AM	Duration : 33.610 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 19 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpenses	1	1	0	0	33.610 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpenses	Creation of Living Expense with valid data.	19	19	0	0	33.607 s

(F)- Murabha_AppDataEntry_LivingExpenses

| PASSED	DURATION - 33.610 s	Scenarios		Steps	
/ 11:11:34.325 AM // 11:12:07.935 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 19 Pass - 19 Fail - 0 Skip - 0	19

(S)- Creation of Living Expense with valid data.

PASSED	DURATION - 33.607 s		Steps	
/ 11:11:34.328 AM // 11:12:07.935 AM /			Total - 19 Pass - 19 Fail - 0 Skip - 0	19
Murabha_AppDataEntry_LivingExpenses				
@AT_TW_AD_LEA_004				

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
	+		
2	And login with valid credentials2	PASSED	4.786 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And user update test data set id for AT_LEA_001	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot		
4	And User_607 Click inbox in the home page	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
5	And User_607 Click Search in inbox	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
7	And user click the ExpenseType on Action	PASSED	1.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	0.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
9	And user click the field AddButton	PASSED	0.898 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
10	And user click the CustomerName in input field	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
11	And user select the CustomerName in under customerInput	PASSED	0.644 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user click the field AddbuttonunderExpenseInfo	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
13	And user verify the field BackButton	PASSED	0.051 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
14	And user verify the field DeleteButton	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
15	And user select the type in expeseType select box	PASSED	0.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And user click the select check box	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot 		
17	And user Enter the Amount in Amount field	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot 		
18	And user Enter the Value ExpectedCostOfLiving field	PASSED	6.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot 		
19	And user Enter the Value MinimumCostOfLiving Field	PASSED	3.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense with valid data.	
(F) Murabha_AppDataEntry_LivingExpenses	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense with valid data.	
(F) Murabha_AppDataEntry_LivingExpenses	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Murabha_AppDataEntry_LivingExpenses