Cucumber Report

|		
Start : Nov 17, 2:52:43.828 PM	**End : Nov 17, 2:53:09.949 PM**	**Duration : 26.121 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 19 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	1	1	0	0	26.121 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	Creation of Living Expense with valid data.	19	19	0	0	26.117 s

(F)- Tawarah_AppDataEntry_LivingExpenses

PASSED	DURATION - 26.121 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 19 Pass - 19 Fail - 0 Skip - 0	19
/ 2:52:43.828 PM // 2:53:09.949 PM /					

(S)- Creation of Living Expense with valid data.

PASSED	DURATION - 26.117 s	[bar chart]	Steps Total - 19 Pass - 19 Fail - 0 Skip - 0	19
/ 2:52:43.832 PM // 2:53:09.949 PM /				
Tawarah_AppDataEntry_LivingExpenses				
@AT_TW_AD_LEA_003				

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
	[screenshot] +		
2	And login with valid credentials2	PASSED	5.858 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
	[screenshot] +		

#	Step / Hook Details	Status	Duration
3	And user update test data set id for AT_LEA_001	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
4	And User_607 Click inbox in the home page	PASSED	2.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		
5	And User_607 Click Search in inbox	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
7	And user click the ExpenseType on Action	PASSED	1.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And User_610 click Living Expenses Screen in App Data Entry	PASSED	1.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
9	And user click the field AddButton	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
10	And user click the CustomerName in input field	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
11	And user select the CustomerName in under customerInput	PASSED	0.609 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user click the field AddbuttonunderExpenseInfo	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot 		
13	And user select the type in expeseType select box	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot 		
14	And user click the select check box	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot 		
15	And user Enter the Amount in Amount field	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And user verify the Total living expense field	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
17	And user verify the Accredited Cost field	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
18	And user verify the ExpectedCostOfLiving field	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
19	And user Verify the MinimumCostOfLiving Field	PASSED	0.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense with valid data.	
(F) Tawarah_AppDataEntry_LivingExpenses	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense with valid data.	
(F) Tawarah_AppDataEntry_LivingExpenses	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber.java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber.java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid
data.

(F)
Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid
data.

(F)
Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense with valid data.	
(F) Tawarah_AppDataEntry_LivingExpenses	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense with valid data.	
(F) Tawarah_AppDataEntry_LivingExpenses	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses