


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	1	1	0	0	28.583 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpens-	Creation of Living Expense with valid data.	19	19	0	0	28.580 s
	es						

(F)- Tawarah_AppDataEntry_LivingExpenses

PASSED	DURATION - 28.583 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 5:51:37.670 PM	1 // 5:52:06.253 PM /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense with valid data.



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
	AZENTIO		
2	And login with valid credentials2	PASSED	4.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.569 s
	screenshot		
	AZENTIO AZENTIO ORDINATION ORDINATION		

And user update test data set id for AT_LEA_001 AftEr_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user_607 Click inbox in the home page AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user_607 Click inbox in the home page AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user_607 Click Search in inbox And user_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND user_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click the ExpenseType on Action And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.20 s 2.20 s	#	Step / Hook Details	Status	Duration
screenshot And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s	3	And user update test data set id for AT_LEA_001	PASSED	0.301 s
4 And User_607 Click inbox in the home page PASSED 0.396 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User_607 Click Search in inbox PASSED 0.256 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s T And user click the ExpenseType on Action PASSED 1.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
4 And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s		screenshot		
4 And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And User_607 Enter the clientname under searchButton for Appdata entry Quationinfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) D 236 s		AZENTO ************************************		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) creenshot And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s		•		
screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click the ExpenseType on Action AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s	4	- ' '	PASSED	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s PASSED 0.236 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s PASSED 0.236 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s PASSED 0.236 s	5	And User 607 Click Search in inbox	PASSED	0.358 s
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s PASSED 0.236 s		screenshot	1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s PASSED 0.236 s		**************************************		
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s	6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.197 s
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s			PASSED	0.178 s
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.156 s O.236 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s				
	7	And user click the ExpenseType on Action	PASSED	1.156 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
		screenshot		


#	Step / Hook Details	Status	Duration
	ARSTTO Search 2 of Mills (Mills (Mil		
8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	0.838 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
	ARENTO SERVICE OF MAN AND AND AND AND AND AND AND AND AND A		
9	And user click the field AddButton	PASSED	4.780 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot AMENTO AM		
10	And user click the CustomerName in input field	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
	ACTION ACTION OF THE PROPERTY		
11	And user select the CustomerName in under customerInput	PASSED	0.554 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		


12 And user click the field AddbuttonunderExpenseInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The step of the field AddbuttonunderExpenseInfo PASSED 0.138 step of the field AddbuttonunderExpenseInfo PASSED 0.299 step of the field AddbuttonunderExpenseInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.299 step of the field AddbuttonunderExpenseInfo PASSED 1.20 step of the field AddbuttonunderExpenseInfo PASSED 1.20 step of the field AddbuttonunderExpenseInfo PASSED 1.20 step of the field AddbuttonunderExpenseInfo	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.299 s	
	S
Screenshot April Apri	
A ADDITION A REAL OF THE PROPERTY OF THE PROP	
And user select the type in expeseType select box 0.524 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.317 s	S
screenshot	
ADSTOR Sample of the state of	
14 And user click the select check box PASSED 0.353 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s	S
screenshot	
ATINTO From 2 of 2 (2) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
15 And user Enter the Amount in Amount field PASSED 0.313 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s	S
screenshot	

#	Step / Hook Details	Status	Duration
	A SERVICE ***PROPER OF SERVICE CONTROL OF SERVICE		
16	And user verify the Total living expense field	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
	ARENTO AMERICA DE LA CONTROLLE DE LA CONTROLL		
17	And user verify the Accredited Cost field	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
	ACEUTO ACEUTO		
18	And user verify the ExpectedCostOfLiving field	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	A SENTO		
19	And user Verify the MinimumCostOfLiving Field	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	ATENTO AND OF THE ORD BY		





EXPANDED SECTION -- 12 --

AZENTIO 31-Jan-2023 📰 😅 🔐 Eng... 🔻 LOS 🔻 Cen... 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox ΧI java.Scenario) Created Date Approver Role Client Name Event Employee Stage Description Role Code App Data Entry CPLIEXEC 09-Nov-2023 Murabaha Auto Retail work 20 3511 Vikram Loan Application Duplicate App Decision BRMANG 13-Oct-2023 20 13-Oct-2023 20 3357 Amresh puri App Data Entry CPUEXEC 06-Oct-2023 2, App Data Entry CPUEXEC 13-Sep-2023 SME Tawarruq corporate work 0288 2, CPUEXEC 04-Sep-2023 (S) Creation of Living Expense with valid 2, GANESH JI SHUKLA New Application data. 2, 614 RAINI New Application BREXEC 11-Nov-2022 2, CPUEXEC RUPESH App Data Entry 11-Nov-2022 Showing 1 to 9 of 9 entries << > >> 10 V

(F) Tawarah AppData

Tawarah AppDataEntry LivingExpenses


AZENTIO 31-Jan-2023 📰 💌 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox × 3357 java. Scenario) 0 Client Name Role Code Created Date Approver Role Stage Description 2, name tawa App Data Entry CPUEXEC 09-Nov-2023 Murabaha Auto Retail work Loan Application Duplicate App Decision 13-Oct-2023 Murabaha Auto Retail work 0288 20 3503 Vikram Duplicate App Decision 13-Oct-2023 2, Amresh puri App Data Entry CPUEXEC 06-Oct-2023 Murabaha Auto Retail work 0288 2, 3048 Loan Application App Data Entry CPUEXEC 13-Sep-2023 2/ App Data Entry CPUEXEC 04-Sep-2023 (S) Creation of Living Expense with valid 2, 658 GANESH JI SHUKLA 12-Nov-2022 data. 20 614 BREYEC RAJNI New Application 11-Nov-2022 2 597 RUPESH CPUEXEC 11-Nov-2022 App Data Entry Loan Application Home Loan Workflow Showing 1 to 9 of 9 entries << >> 10 V


(F)


Tawarah_AppDataEntry_LivingExpenses

8


EXPANDED SECTION -- 13 --









EXPANDED SECTION -- 16 --







EXPANDED SECTION -- 19 --

