


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpenses	1	1	0	0	25.415 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_LivingExpens-	Validation of Living expense view list	11	11	0	0	25.411 s
	es						

**DETAILED SECTION** 

## **(F)- Tawarah\_AppDataEntry\_LivingExpenses**

PASSED	DURATION - 25.415 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 2:51:36.066 PM	Л // 2:52:01.481 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** Validation of Living expense view list




#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.770 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		
	+ AZENTIO		
2	And login with valid credentials2	PASSED	3.695 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
	screenshot		
	AZENTIO  AZENTIO  GUIDILIE  GUIDILIE		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.237 s  AFTER_STEP. Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.126 s  AFTER_STEP. Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.237 s	#	Step / Hook Details	Status	Duration
4. And User_607 Click inbox in the home page  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5. And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### PASSED	3	And user update test data set id for AT_LEA_001	PASSED	0.245 s
4 And User_607 Click inbox in the home page PASSED 1.804 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.273 s  5 And User_607 Click Search in inbox PASSED 0.273 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.245 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.245 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s  To And user click the ExpenseType on Action PASSED 1.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
4 And User_607 Click inbox in the home page PASSED 0.273 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.273 s  5 And User_607 Click Search in inbox PASSED 0.245 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.245 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s  The step -		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.273 s  0.245 s  0.237 s  PASSED  0.211 s		AZENTIO		
screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.126 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.174 s	4	And User_607 Click inbox in the home page	PASSED	1.804 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
And User_607 Click Search in inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.245 s  0.245 s  0.237 s  PASSED  0.211 s		MAINTO  State of the state of t		
screenshot  And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.126 s  PASSED  0.714 s	5	And User_607 Click Search in inbox	PASSED	0.183 s
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.211 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo PASSED 0.237 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.211 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.126 s  PASSED  0.211 s		## ADMINISTRATION		
7 And user click the ExpenseType on Action  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.174 s	6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.237 s
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.126 s 0.174 s			PASSED	0.211 s
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.126 s 0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s	7	And user click the ExpenseType on Action	PASSED	1.126 s
screenshot				

#	Step / Hook Details	Status	Duration
	ARESTO  SANCE OF REAL PROPERTY OF THE PROPERTY		
8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
	ARESTTO  AND DESCRIPTION OF THE PROPERTY OF TH		
9	And User_610 click edit button under documents details	PASSED	3.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.145 s
	ARESTTO  PARTY OF THE PARTY OF		
10	And Update the status to Inactive in living expense	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	ATENTO  ATENTO		
11	And Click on Save icon in Living expense tab	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ARENTO  AND DE P. NO. CO. CO. CO. CO. CO. CO. CO. CO. CO. C		





EXPANDED SECTION -- 10 --

**AZENTIO** Eng... ▼ LOS ▼ Cen... ▼ (Step) AFTER\_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox XI java.Scenario) Created Date Approver Role Client Name Event Employee Stage Description Role Code CPUEXEC 09-Nov-2023 20 Murabaha Auto Retail work 3511 Vikram Loan Application Duplicate App Decision BRMANG 13-Oct-2023 20 13-Oct-2023 20 3357 Amresh puri App Data Entry CPUEXEC 06-Oct-2023 2, App Data Entry CPUEXEC 13-Sep-2023 SME Tawarruq corporate work 0288 2, App Data Entry CPUEXEC 04-Sep-2023 2/ GANESH JI SHUKLA New Application (S) Validation of Living expense view list ٦ 614 11-Nov-2022 RAINI Loan Application New Application BREXEC 2, CPUEXEC RUPESH App Data Entry 11-Nov-2022 C Showing 1 to 9 of 9 entries << > >> 10 V (F)

**AZENTIO** 

C

(Step) AFTER\_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

Tawarah\_AppDataEntry\_LivingExpenses

**ONE**Banking 88 Inbox × 3357 0 Client Name Role Code Created Date Approver Role Stage Description 2, name tawa App Data Entry CPUEXEC 09-Nov-2023 Murabaha Auto Retail work Loan Application Duplicate App Decision 13-Oct-2023 Murabaha Auto Retail work 0288 3503 Vikram Duplicate App Decision 13-Oct-2023 2, Amresh puri App Data Entry CPUEXEC 06-Oct-2023 Murabaha Auto Retail work 0288 20 3048 Loan Application App Data Entry CPUEXEC 13-Sep-2023 2/ App Data Entry CPUEXEC 04-Sep-2023 % % 658 GANESH JI SHUKLA 12-Nov-2022 614 BREYEC RAJNI New Application 11-Nov-2022 2, 597 RUPESH CPUEXEC 11-Nov-2022 App Data Entry Loan Application Home Loan Workflow

(S) Validation of Living expense view list

<u>(F)</u>
Tawarah AppDataEntry LivingExpenses


8


>> 10 V

Eng... ▼ LOS ▼ Cen... ▼

Showing 1 to 9 of 9 entries <<

EXPANDED SECTION -- 11 --





EXPANDED SECTION -- 13 --

