# Cucumber Report

| Start : Nov 17, 2:53:56.603 PM | End : Nov 17, 2:54:30.489 PM | Duration : 33.886 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 19<br>FAILED - 0<br>SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Tawarah_AppDataEntry_LivingExpenses | 1 | 1 | 0 | 0 | 33.886 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Tawarah_AppDataEntry_LivingExpenses | Creation of Living Expense with valid data. | 19 | 19 | 0 | 0 | 33.883 s |

## (F)- Tawarah_AppDataEntry_LivingExpenses

| PASSED | DURATION - 33.886 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 19 | |
| / 2:53:56.603 PM // 2:54:30.489 PM / | | Pass - 1 | 1 | Pass - 19 | 19 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- Creation of Living Expense with valid data.

| PASSED | DURATION - 33.883 s | | Steps | |
|---|---|---|---|---|
| / 2:53:56.606 PM // 2:54:30.489 PM / | | | Total - 19 | |
| Tawarah_AppDataEntry_LivingExpenses | | | Pass - 19 | 19 |
| | | | Fail - 0 | |
| @AT_TW_AD_LEA_004 | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given navigate the IJARA URL | PASSED | 4.494 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.344 s |
| | screenshot | | |
| |  + | | |
| 2 | And login with valid credentials2 | PASSED | 4.250 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.570 s |
| | screenshot | | |
| |  + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And user update test data set id for AT_LEA_001 | PASSED | 0.230 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.198 s |
| | screenshot | | |
| |  | | |
| 4 | And User_607 Click inbox in the home page | PASSED | 0.401 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.283 s |
| | screenshot | | |
| |  | | |
| 5 | And User_607 Click Search in inbox | PASSED | 0.140 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | screenshot | | |
| |  | | |
| 6 | And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo | PASSED | 0.161 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.267 s |
| | screenshot | | |
| |  | | |
| 7 | And user click the ExpenseType on Action | PASSED | 1.795 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | And User_610 click Living Expenses Screen in App Data Entery | PASSED | 1.236 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.540 s |
| | screenshot | | |
| |  | | |
| 9 | And user click the field AddButton | PASSED | 0.235 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.345 s |
| | screenshot | | |
| |  | | |
| 10 | And user click the CustomerName in input field | PASSED | 0.331 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| | screenshot | | |
| |  | | |
| 11 | And user select the CustomerName in under customerInput | PASSED | 0.591 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.177 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| |  | | |
| 12 | And user click the field AddbuttonunderExpenseInfo | PASSED | 0.224 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | screenshot<br> | | |
| 13 | And user verify the field BackButton | PASSED | 0.063 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.152 s |
| | screenshot<br> | | |
| 14 | And user verify the field DeleteButton | PASSED | 0.120 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| | screenshot<br> | | |
| 15 | And user select the type in expeseType select box | PASSED | 0.461 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.192 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 16 | And user click the select check box | PASSED | 0.185 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.178 s |
| | screenshot | | |
| |  | | |
| 17 | And user Enter the Amount in Amount field | PASSED | 0.362 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |
| |  | | |
| 18 | And user Enter the Value ExpectedCostOfLiving field | PASSED | 6.301 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | screenshot | | |
| |  | | |
| 19 | And user Enter the Value MinimumCostOfLiving Field | PASSED | 3.911 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.136 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| |  | | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
|---|---|
| (S) Creation of Living Expense with valid data. | |
| (F) Tawarah_AppDataEntry_LivingExpenses | |



| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
|---|---|
| (S) Creation of Living Expense with valid data. | |
| (F) Tawarah_AppDataEntry_LivingExpenses | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

---

**AZENTIO**
**ONE**Banking

31-Jan-2023

Eng... LOS Cen...

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

---

**AZENTIO**
**ONE**Banking

31-Jan-2023

Eng... LOS Cen...

**Inbox**

**Action**

Showing 0 to 0 of 0 entries

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid
data.

(F)
Tawarah_AppDataEntry_LivingExpenses

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid
data.

(F)
Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid
data.

(F)
Tawarah_AppDataEntry_LivingExpenses



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid
data.

(F)
Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid data.

(F)
Tawarah_AppDataEntry_LivingExpenses



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid data.

(F)
Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense with valid data.

(F) Tawarah_AppDataEntry_LivingExpenses