

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the Employment details feature	1	1	0	0	32.535 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the Employment details	To verify that search criteria in Employment details view list	14	14	0	0	32.532 s
	<u>feature</u>						

## **(F)-** To check the Employment details feature

PASSED	DURATION - 32.535 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 5:13:23.576 PN	Л // 5:13:56.111 PM /	Pass - 1	1	Pass - 14	14
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify that search criteria in Employment details view list



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.526 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
	AZENTIO TO THE PARTY OF THE PAR		
2	And login with valid credentials for Murabha_App data entry_Employment details	PASSED	5.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.695 s
	screenshot		
	AZENTIO		

A And User get the test data for test case AT_MU_EMPD_11  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  4 And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.306 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.306 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.307 s  PASSED  O.707 s  PASSED  O.705 s  PASSED  O.705 s  PASSED  O.159 s	#	Step / Hook Details	Status	Duration
screenshot  And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.2017 s  0.217 s  0.217 s  0.217 s  0.227 s  0.227 s  0.249 s  0.249 s  0.249 s  0.249 s  0.249 s  0.255 c  0.249 s  0.255 c  0.255 c  0.265 c  0.265 c  0.265 c  0.267 c  0.2	3	And User get the test data for test case AT_MU_EMPD_11	PASSED	0.444 s
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.249 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.705 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
4 And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED  D. 705 s PASSED  D. 705 s PASSED  D. 705 s PASSED  D. 159 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.705 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s		A ASHNO FRANCE OF E AND NO.		
screenshot  Arter_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Arter_step - step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.705 s  AFTER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.705 s  AFTER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.159 s	4	And User click the module name dropdown in ULS application	PASSED	0.411 s
5 And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.705 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.159 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
And User click the Mail box in ULS application  And User click the Mail box in ULS application  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.306 s  PASSED  0.705 s  PASSED  0.705 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  0.306 s  PASSED  0.249 s  Company of the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.705 s  PASSED  0.159 s		ARMYO PARTY OF A SECOND		
screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.705 s  PASSED  0.705 s  PASSED  0.159 s	5	And User select the module name as LOS in ULS application	PASSED	5.316 s
And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.306 s  0.249 s  0.249 s  0.705 s  PASSED  0.705 s  0.705 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
6 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And User click the Search button under inbox  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.306 s  PASSED  0.249 s  PASSED  0.705 s  PASSED  0.705 s  PASSED  0.159 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.249 s  PASSED  0.705 s  PASSED  0.705 s  PASSED  0.159 s		ARMYO PARTY OF A SECOND OF A S		
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.705 s 0.159 s	6	And User click the Mail box in ULS application	PASSED	0.306 s
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.705 s 0.159 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.705 s  Output  Description:		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s				
	7	And User click the Search button under inbox	PASSED	0.705 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
		screenshot	7	


#	Step / Hook Details	Status	Duration
	A SENTO   Parado		
8	And User search the Ref id under inbox for Murabha_App data entry_Employment details	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
	A SENTO   S		
9	And User click the Entitle button under inbox	PASSED	0.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
	A SENTICE  Second 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
10	And User Navigate to Customer financials section	PASSED	1.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot	]	
	A SENTICE  A SENTICE		
11	And Click on Edit icon in Customer personal information page	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		


#	Step / Hook Details	Status	Duration
	FAMILY FAMILY STATES ST		
12	And Find the position of Employment details view list at Murabha_App data entry	PASSED	3.865 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot	]	
	ATANYO  PARENTE SECOND		
13	And Search the Customer Employment record with valid data	PASSED	0.666 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	ALENTO  Sea and College Colleg		
14	And Search the Customer Employment record with invalid data	PASSED	0.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
	ACTION  Formally  Formally		


(F) To check the Employment details

feature


Forgot Password?








**EXPANDED SECTION** 




**AZENTIO** (Step) AFTER\_STEP - stepdefinitions. Eng... V LOS V Cen... V 31-Jan-2023 📰 🔁 🏭 **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 3249 java. Scenario) 0 Action Reference Id Client Name Event Workflow Employee **Stage Description** Role Code **Created Date** Approver Role SME liara corporate 20 3614 AMRUTA SME 3032 CPUEXEC 15-Nov-2023 Loan Application AML Decision work Flow SME liara corporate 20 3648 3032 01-Nov-2023 Molly Loan Application App Data Entry CPUEXEC work Flow Murabaha Auto Retail 20 3393 06-Oct-2023 Loan Application CPUEXEC Jonny App Data Entry work Flow SME Murahaha 20 (S) To verify that search criteria in 3342 SME Thirty One Loan Application 3032 App Data Entry CPUEXEC 05-Oct-2023 corporate work Flow Murabaha Consume Employment details view list 20 3249 neha Loan Application Durable Retail work 3032 App Data Entry CPUEXEC 27-Sep-2023 Flow Tawarruq Retail work Commodity Purchase 20 2992 MOLLY PATIL Loan Application 3032 CPUEXEC 04-Sep-2023 Maker SME Ijara corporate 20 2519 3032 testsme4 Loan Application AML Decision CPUEXEC 18-Aug-2023 work Flow Ijara Auto Retail work 20 (F) To check the Employment details 3032 Testing App Loan Application App Data Entry 31-May-2023 Flow 20 feature 604 SALEEM GHANI Loan Application Home Loan Workflow 3032 App Data Entry CPUEXEC 11-Nov-2022 C Showing 1 to 9 of 9 entries

EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

