

Cucumber Report



FEATURES SUMMARY -- 2 --




#	Feature Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_IdentificationDetailsListView	1	0	1	0	53.295 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Tawarah_AppDataEntry_IdentificationD-	To verify the Identification Details List view	15	7	1	7	53.292 s
	<u>etailsListView</u>						

DETAILED SECTION -- 4 --

(F)- Tawarah_AppDataEntry_IdentificationDetailsListView



(S)- To verify the Identification Details List view



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	8.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.776 s
	screenshot		
	AZENTIO AZENTIO		
2	And login with valid credentials2	PASSED	8.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
	ARDETIC TOWN OF AN AD AD AD AD AD AD AD AD ADDRESS OF A		

After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Click inbox in the home page After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions.HooksC	#	Step / Hook Details	Status	Duration
screenshot And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.jav	3	And user update test data set id for AT_LEA_001	PASSED	0.992 s
4 And User_607 Click inbox in the home page PASSED 0.709 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.377 s 5 And User_607 Click Search in inbox PASSED 0.377 s 5 And User_607 Click Search in inbox PASSED 0.378 s 6 And User_607 Click Search in inbox PASSED 0.603 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.231 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.231 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenari		screenshot		
4 And User_607 Click inbox in the home page 0.709 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passeb AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passeb AFTER_STEP -		ASSISTED		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Click Search in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot screenshot screenshot screenshot screens		•		
screenshot Add User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions	4	And User_607 Click inbox in the home page	PASSED	0.709 s
5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action PASSED 1.393 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action PASSED 0.603 s 0.205 s 0.205 s 0.213 s 0.230 s PASSED 0.230 s PASSED 0.213 s 1.393 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user click the ExpenseType on Action PASSED 0.205 s 0.205 s 0.205 s 0.213 s 0.230 s PASSED 0.230 s PASSED 0.231 s PASSED 1.393 s		ASSTTO		
screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click the ExpenseType on Action PASSED 1.393 s	5	And User_607 Click Search in inbox	PASSED	0.603 s
And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action PASSED 1.393 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action PASSED 0.230 s 0.213 s PASSED 1.393 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action PASSED 0.213 s PASSED 1.393 s		1		
Screenshot The state of the st	6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.230 s
7 And user click the ExpenseType on Action PASSED 1.393 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
7 And user click the ExpenseType on Action PASSED 1.393 s		screenshot		
		ASSETTED Section Sec		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.281 s	7	And user click the ExpenseType on Action	PASSED	1.393 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ASENTO		
8	And user click on the Additional Customer info	FAILED	21.499 s
	java.lang.AssertionError: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "helper.JavascriptHelper. executeScriptWithWebElement(String)" is null at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.Tawarah_AppDataEntry_IdentificationDetailsListView. user_click_on_the_additional_customer_info(Tawarah_AppDataEntry_IdentificationDetailsListView.java:30) at ?.user click on the Additional Customer info(file:///C:/Users/inindc00626/git/Tharun_ULS/Tharun_ULS/src/test/java/features/Tawarah_AppDataEntry_IdentificationDetailsListView.feature:15) * Not displayable characters are replaced by '?'.	DAGGED	0.470
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	ASENTO PAGE OF A SECTION OF A		
9	And user click on Add Button below the Additional Customer info	SKIPPED	0.000 s
10	Then User to verify the Values in list view should be in read only mode in customer details	SKIPPED	0.000 s
11	And user to verify the Id type should be in display only	SKIPPED	0.000 s
12	And user to verify the Id number should be in display only	SKIPPED	0.001 s
13	And user to verify the Id issue date should be in display only	SKIPPED	0.000 s
14	And user to verify the Id expiry date should be in display only	SKIPPED	0.000 s
15	And user to verify the Id status should be in display only	SKIPPED	0.001 s


EXPANDED SECTION -- 7

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify the Identification Details List AZENTIO view Tawarah_AppDataEntry_IdentificationDetailsListView **AZENTIO**° 31-Jan-2023 🛗 🔀 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 🐙 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify the Identification Details List view Tawarah_AppDataEntry_IdentificationDetailsListView

<u>(F)</u>

ailsListView

Tawarah AppDataEntry IdentificationDet-




8

EXPANDED SECTION

ailsListView

-- 9 --



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Identification Details List view

(F)
Tawarah_AppDataEntry_IdentificationDetailsListView

AZENTIO 31-Jan-2023 📰 💌 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 **ONE**Banking 88 Inbox × 3357 Ø Client Name Role Code Created Date Approver Role Event Stage Description 2, name tawa App Data Entry CPUEXEC 09-Nov-2023 20 Murabaha Auto Retail work Loan Application Duplicate App Decision 13-Oct-2023 Murabaha Auto Retail work 0288 20 3503 Vikram Duplicate App Decision 13-Oct-2023 2, Amresh puri App Data Entry CPUEXEC 06-Oct-2023 Murabaha Auto Retail work 0288 20 3048 Loan Application App Data Entry CPUEXEC 13-Sep-2023 2/ App Data Entry CPUEXEC 04-Sep-2023 20 658 GANESH JI SHUKLA 12-Nov-2022 20 614 RAJNI New Application RREYEC 11-Nov-2022 2, 597 CPUEXEC 11-Nov-2022 RUPESH App Data Entry Loan Application Home Loan Workflow Showing 1 to 9 of 9 entries << >> 10 V



EXPANDED SECTION -- 10 --

