
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpenses	1	0	1	0	48.224 s

SCENARIOS SUMMARY




#	Feature Name	eature Name Scenario Name		P	F	S	Duration
1	Murabha_AppDataEntry_LivingExpens-	Validation of Living expense view list	11	9	1	1	48.221 s
	es						

DETAILED SECTION -- 4 --

(F)- Murabha_AppDataEntry_LivingExpenses

FAILED	DURATION - 48.224 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:57:51.608 A	M // 9:58:39.832 AM /	Pass - 0	1	Pass - 9	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Validation of Living expense view list




#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
	AZENTIO		
2	And login with valid credentials2	PASSED	4.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.700 s
	screenshot		
	AZENTIO TRIBUTE TO THE PARTY OF THE PARTY		

After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Click inbox in the home page After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Click inbox in the home page After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Click Search in inbox After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_607 Click Search in inbox After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Add user click the Expense Type on Action After_step-stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s PASSED 1.111 s PASSED 1.111 s PASSED 1.111 s PASSED 1.111 s	#	Step / Hook Details	Status	Duration
4. And User 607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5. And User_607 Click Search in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ### PASSED	3	And user update test data set id for AT_LEA_001	PASSED	0.282 s
4 And User_607 Click inbox in the home page PASSED 0.602 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s 5 And User_607 Click Search in inbox PASSED 0.247 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.226 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.472 s
4 And User_607 Click inbox in the home page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.268 s 1.111 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1111 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s 0.226 s 0.226 s 0.253 s 0.327 s 0.327 s		AZENTIO GREAT O TO		
screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s	4		PASSED	0.602 s
5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
5 And User_607 Click Search in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s 0.226 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s PASSED 0.226 s 0.226 s PASSED 0.253 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s		Captive Capt		
screenshot And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s PASSED 0.253 s 0.327 s	5	And User_607 Click Search in inbox	PASSED	0.247 s
6 And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s 0.327 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s PASSED 0.327 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s PASSED 0.327 s		ASSISTION		
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s	6	And User_607 Enter the clientname under searchButton for Appdata entry QuationInfo	PASSED	0.253 s
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
7 And user click the ExpenseType on Action AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.111 s PASSED 0.181 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s				
	7	And user click the ExpenseType on Action	PASSED	1.111 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	ASSENCE Section 10 According to 10 According		
8	And User_610 click Living Expenses Screen in App Data Entery	PASSED	1.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.351 s
	AZENTO SOLUTION SOLUT		
9	And User_610 click edit button under documents details	PASSED	3.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.161 s
10	And Update the status to Inactive in living expense	FAILED	25.729 s
	java.lang.AssertionError: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "helper.JavascriptHelper. executeScriptWithWebElement(String)" is null at org.testng.Assert.fail(Assert.java:111) at stepdefinitions.Murabha_AppDataEntry_LivingExpenses. update_the_status_to_inactive_in_living_expense(Murabha_AppDataEntry_LivingExpenses.java:999) at ?.Update the status to Inactive in living expense(file:///C:/Users/inindc00626/git/Tharun_ULS/Tharun_ULS/src/test/java/features/Tawarah_AppDataEntry_LivingExpenses.feature:123) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	Screenshot ***********************************		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
11		SKIPPED	0.000 s




EXPANDED SECTION

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Validation of Living expense view list

<u>(F)</u>


 $\underline{\text{Murabha_AppDataEntry_LivingExpenses}}$



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Validation of Living expense view list

(F) Murabha AppDataEntry LivingExpenses





EXPANDED SECTION -- 10 --

AZENTIO° 31-Jan-2023 📰 💌 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 XI java.Scenario) Event Created Date Approver Role Client Name Stage Description Role Code CPUEXEC 09-Nov-2023 Murabaha Auto Retail work 0288 13-Oct-2023 Vikram Loan Application Duplicate App Decision 13-Oct-2023 Amresh puri Tawarruq Retail work Flow 0288 CPUEXEC 06-Oct-2023 20 CPUEXEC App Data Entry 13-Sep-2023 2/ SME Tawarruq corporate work 0288 App Data Entry 04-Sep-2023 2, GANESH JI SHUKLA New Application (S) Validation of Living expense view list 614 RAINI BREXEC 11-Nov-2022 New Application 2, CPUEXEC 11-Nov-2022 RUPESH App Data Entry C Showing 1 to 9 of 9 entries << < 1 > > 10 ~ (F)

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.

Murabha_AppDataEntry_LivingExpenses

java.Scenario)

(S) Validation of Living expense view list

(F) Murabha AppDataEntry LivingExpenses

=	AZENT ONEBanking	10°					31	-Jan-2023 🛗 🔀	Eng ▼	LOS • Cen • •
88	Inbox									× 3357
Ø	Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
> ;	2,	3711	name tawa	Loan Application	Tawarruq Retail work Flow	0288	App Data Entry	CPUEXEC	09-Nov-2023	
0	20	3511	Vikram	Loan Application	Murabaha Auto Retail work Flow	0288	Duplicate App Decision	BRMANG	13-Oct-2023	
	20	3503	Vikram	Loan Application	Murabaha Auto Retail work Flow	0288	Duplicate App Decision	BRMANG	13-Oct-2023	
	2,	3357	Amresh puri	Loan Application	Tawarruq Retail work Flow	0288	App Data Entry	CPUEXEC	06-Oct-2023	
	2,	3048		Loan Application	Murabaha Auto Retail work Flow	0288	App Data Entry	CPUEXEC	13-Sep-2023	
	2	2991	SSS	Loan Application	SME Tawarruq corporate work Flow	0288	App Data Entry	CPUEXEC	04-Sep-2023	
	2	658	GANESH JI SHUKLA	Loan Application	Home Loan Workflow	0288	New Application	BREXEC	12-Nov-2022	
	2	614	RAJNI	Loan Application	Home Loan Workflow	0288	New Application	BREXEC	11-Nov-2022	
	2	597	RUPESH	Loan Application	Home Loan Workflow	0288	App Data Entry	CPUEXEC	11-Nov-2022	
	Ċ							Showing 1 to 9 of 9 entri	ies << <	1 >



