

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the customer personal details feature	1	1	0	0	22.338 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the customer personal details	To verify that fields present in customer personal details	10	10	0	0	22.335 s
	feature	page view list					

## (F)- To check the customer personal details feature

PASSED	DURATION - 22.338 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 4:35:57.297 PM	1 // 4:36:19.635 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify that fields present in customer personal details page view list

PASSED DURATION - 22	2.335 s	6 -	_										Steps		
/ 4:35:57.300 PM // 4:36:19.63	R5 PM /	4 -	 										Total - 10		
7 4.00.07.000 7 1077 4.00.10.00													Pass - 10	10	
To check the customer personal	details feature	2-											Fail - 0	10	,
@AT_M_CDC_04		0 -	 										Skip - 0		
			1	2	3	4	5	6	7	8	9	10			

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	5.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		
	AZENTIO TO THE PROPERTY OF THE		
2	And login with valid credentials for Murabha_customer personal details	PASSED	5.666 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
	AZENTIO  AZENTIO  2724 8 1 2		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And User click the Search button under inbox  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Description of the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Description of the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Description of the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Description of the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Description of the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	And User get the test data for test case AT_M_CDC_04	PASSED	0.261 s
4 And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.339 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.308 s		ASSATO PARTY OF THE RESIDENCE OF THE RES		
screenshot  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.190 s	4	And User click the Mail box in ULS application	PASSED	0.580 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAd User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.339 s  O.190 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  1		A SANTO    Particul		
Screenshot  And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The standard of the standard o	5	And User click the Search button under inbox	PASSED	0.682 s
And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The standard of the standa		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
And User search the Ref id under inbox for Customer personal details  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  The step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    PASSED   0.190 s		A SANTO		
Screenshot   ABSTO  Family D S No	6	And User search the Ref id under inbox for Customer personal details	PASSED	0.339 s
ASSENTIO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
*** No. *** No		screenshot		
		No		
7 And User click the Entitle button under inbox PASSED 0.917 s	7	And User click the Entitle button under inbox	PASSED	0.917 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	** ANTHON ** ANTHON BY ANTON BY ANTHON BY ANTON BY ANTO		
8	And Navigate to Customer details section	PASSED	0.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.684 s
	ARBUTIO PARTICIPATION OF THE PROPERTY OF THE P		
9	And Search the customer personal details record with valid details	PASSED	0.504 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
	ARENTO  Family 10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
10	And Search the customer personal details record with invalid details	PASSED	0.691 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
	A ACENTO  PARTICIPATION  PARTICIPATI		
	•		




(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) To verify that fields present in customer personal details page view list

(F) To check the customer personal details feature





88 Inbox java. Scenario) 0 Action Reference Id **Client Name** Workflow Employee Stage Description Role Code **Created Date** Murabaha Auto Retail 3572 Loan Application Data Check CPUEXEC 27-Nov-2023 testi work Flow Murabaha Consumer 0 3219 Loan Application Durable Retail work 0369 App Data Entry CPUEXEC 30-Oct-2023 SME Ijara corporate 3485 SME TAWARRUQ 0369 CPUEXEC 12-Oct-2023 Loan Application App Data Entry work Flow (S) To verify that fields present in 3309 BRMANG 03-Oct-2023 Tawarrug Loan Application Duplicate App Decision customer personal details page view list Ijara Auto Retail work 3213 CPUEXEC 22-Sep-2023 Anderson Loan Application App Data Entry Murabaha Consumer 3139 Loan Application Durable Retail work App Data Entry CPUEXEC 15-Sep-2023 Ijara Auto Retail work 2964 Test Loan Application 0369 CPLIEXEC 01-Sep-2023 App Data Entry (F) To check the customer personal SME Ijara corporate 2656 0369 Duplicate App Decision BRMANG 07-Aug-2023 Test Cok Loan Application details feature Ijara Auto Retail work 2256 17-May-2023 sachin Loan Application App Data Entry CPUEXEC Showing 1 to 9 of 9 entries 10



**AZENTIO** (Step) AFTER\_STEP - stepdefinitions. 31-Jan-2023 📰 🔁 🏭 Eng... 🔻 LOS -**ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 3572 java. Scenario) 0 Action Reference Id Client Name Event Workflow Employee **Stage Description** Role Code **Created Date** Approver Role Murabaha Auto Retail 20 3572 CPUEXEC 27-Nov-2023 testi Loan Application Data Check **>**\$ work Flow Murahaha Consume 0 20 3219 shweta Loan Application Durable Retail work 0369 App Data Entry CPUEXEC 30-Oct-2023 Flow SME Ijara corporate 20 3485 SME TAWARRUQ Loan Application CPUEXEC 12-Oct-2023 App Data Entry work Flow (S) To verify that fields present in Tawarruq Retail work 20 3309 Loan Application BRMANG 03-Oct-2023 Tawarrug Duplicate App Decision Flow customer personal details page view list Ijara Auto Retail work 20 3213 Anderson Loan Application CPUEXEC 22-Sep-2023 App Data Entry Flow Murabaha Consume 20 3139 15-Sep-2023 netra Loan Application Durable Retail work 0369 App Data Entry CPUEXEC Ijara Auto Retail work 20 2964 Test Loan Application App Data Entry CPUEXEC 01-Sep-2023 (F) To check the customer personal SME Ijara corporate 20 2656 Test Cok Loan Application 0369 Duplicate App Decision 07-Aug-2023 work Flow details feature Ijara Auto Retail work 20 2256 sachin Loan Application CPUEXEC 17-May-2023 App Data Entry C Showing 1 to 9 of 9 entries

